

# **Safety Data Sheet**

© 2022, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 11-7028-1
 Version number:
 3.01

 Issue Date:
 18/01/2022
 Supersedes date:
 15/11/2020

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

# **SECTION 1: Identification**

#### 1.1. Product identifier

3M BRAND 504 RESPIRATOR CLEANING WIPE

**Product Identification Numbers** 

70-0703-1713-9 NT-0194-4792-8 NT-0194-4793-6 NT-0194-4796-9 NT-0194-4798-5 NT-0194-4799-3 NT-0194-4801-7 XH-0194-3312-3 XH-0194-3313-1 XH-0194-3314-9

XH-0194-3315-6

#### 1.2. Recommended use and restrictions on use

#### Recommended use

Cleaning respirators.

For Industrial or Consumer Use

# 1.3. Supplier's details

Address: 3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, Auckland

**Telephone:** (09) 477 4040

E Mail: innovation@nz.mmm.com

Website: 3m.co.nz

#### 1.4. Emergency telephone number

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

# **SECTION 2: Hazard identification**

Classified as hazardous in accordance with the relevant criteria of the HSNO Act 1996 and the Hazardous Substances (Hazard Classification) Notice 2020.

Refer to Section 14 of this Safety Data Sheet for product Dangerous Goods Classification.

# 2.1. Classification of the substance or mixture

Serious Eye Damage/Irritation: Category 2 Acute Aquatic Toxicity: Category 1 Chronic Aquatic Toxicity: Category 3

# 2.2. Label elements

Page: 1 of 11

#### SIGNAL WORD

Warning

#### **Symbols:**

Exclamation mark | Environment |

## **Pictograms**



#### **HAZARD STATEMENTS:**

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

# PRECAUTIONARY STATEMENTS

Prevention

P264 Wash thoroughly after handling. P273 Avoid release to the environment.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337 + P313 IF eye irritation persists: Get medical advice/attention.

P391 Collect spillage.

Disposal

P501 Dispose of contents/container in accordance with applicable

local/regional/national/international regulations.

# **SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	% by Weight
Water	7732-18-5	50 - 70
Cellulose	9004-34-6	30 - 50
Surfactants	68439-46-3	0.1 - 1
CLEANING AGENTS	68424-85-1	0.1 - 0.95

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

# Eye contact

Page: 2 of 11

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

A product risk assessment is recommended to determine if eye wash facilities may be required when using this product in the workplace.

#### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

#### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

#### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

#### **Hazardous Decomposition or By-Products**

<u>Substance</u> Carbon monoxide. Carbon dioxide.

# Condition

During combustion. During combustion.

#### 5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

#### 5.4. Hazchem code: 2Z

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

# **SECTION 7: Handling and storage**

Refer to Section 15 - Controls for more information

#### 7.1. Precautions for safe handling

Avoid eye contact. For industrial occupational use only. Not for consumer sale or use. Avoid breathing

Page: 3 of 11

Additional comments

#### 3M BRAND 504 RESPIRATOR CLEANING WIPE

dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment.

#### 7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

## 7.3. Certified handler

Not required

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available

Limit type

for the component.

Ingredient CAS Nbr Agency Cellulose 9004-34-6

TWA:10 mg/m<sup>3</sup> **ACGIH** 

Cellulose 9004-34-6 New Zealand TWA(as fiber)(8 hours):10 WES

mg/m3

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines New Zealand WES: New Zealand Workplace Exposure Standards.

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

ppm: parts per million

mg/m3: milligrams per cubic metre

CEIL: Ceiling

### 8.2. Exposure controls

# 8.2.1. Engineering controls

No engineering controls required.

# 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

None required.

#### Skin/hand protection

No chemical protective gloves are required.

# Respiratory protection

None required.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state	Solid. moist
Specific Physical Form:	Non-Woven Material
Colour	White
Odour	Odourless
Odour threshold	No data available.
рН	5.75 - 6.75 [Details: CONDITIONS: Excluding towelette]

Page: 4 of 11

25-Nov-22, 1:25 PM 4 of 11

Melting point/Freezing point	Not applicable.
Boiling point/Initial boiling point/Boiling range	± 100 °C [Details:CONDITIONS: Excluding towelette]
Flash point	No flash point
Evaporation rate	0.33 [Ref Std:BUOAC=1] [Details: Excluding Towelette]
Flammability (solid, gas)	Not classified
Flammable Limits(LEL)	Not applicable.
Flammable Limits(UEL)	Not applicable.
Vapour pressure	± 2,338.5 Pa [@ 20 °C ] [Details: Excluding Towelette]
Vapor Density and/or Relative Vapor Density	No data available.
Density	1 g/ml [Details: Excluding Towelette]
Relative density	± 1 [Ref Std:WATER=1] [Details:CONDITIONS: Excluding
	towelette]
Water solubility	Complete
Solubility- non-water	No data available.
Partition coefficient: n-octanol/water	No data available.
Autoignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity/Kinematic Viscosity	No data available.
Volatile organic compounds (VOC)	No data available.
Percent volatile	± 100 % [Details: CONDITIONS: Excluding towelette]
VOC less H2O & exempt solvents	No data available.
Molecular weight	No data available.

#### **Nanoparticles**

This material does not contain nanoparticles.

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is considered to be non reactive under normal use conditions

### 10.2 Chemical stability

Stable.

# 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

# 10.4 Conditions to avoid

None known.

# 10.5 Incompatible materials

None known.

# 10.6 Hazardous decomposition products

Substance None known. Condition

Refer to Section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be

Page: 5 of 11

reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

#### 11.1 Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Skin contact

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness.

#### Eve contact

Moderate eye irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

#### Ingestion

Physical Blockage: Signs/symptoms may include cramping, abdominal pain, and constipation. Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

# **Acute Toxicity**

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Cellulose	Dermal	Rabbit	LD50 > 2,000 mg/kg
Cellulose	Inhalation-	Rat	LC50 > 5.8 mg/l
	Dust/Mist		
	(4 hours)		
Cellulose	Ingestion	Rat	LD50 > 5,000 mg/kg
Surfactants	Dermal	Rabbit	LD50 > 2,000 mg/kg
Surfactants	Ingestion	Rat	LD50 1,378 mg/kg
CLEANING AGENTS	Dermal	Rabbit	LD50 645 mg/kg
CLEANING AGENTS	Ingestion	Rat	LD50 366 mg/kg

ATE = acute toxicity estimate

# Skin Corrosion/Irritation

Skiii Corrosion/irritation		
Name	Species	Value
Cellulose	Not	No significant irritation
	available	
Surfactants	Rabbit	Irritant

#### Serious Eve Damage/Irritation

Serious Eye Damage/Irritation		
Name	Species	Value
	*	
Cellulose	Not	No significant irritation
	available	
Surfactants	Professio	Corrosive
	nal	
	judgemen	
	l t	

Page: 6 of 11

#### Sensitisation:

#### **Skin Sensitisation**

Na	ame	Species	Value
Su	ırfactants	Guinea	Not classified
		pig	

#### **Respiratory Sensitisation**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity** 

Name	Route	Value
Surfactants	In Vitro	Not mutagenic

#### Carcinogenicity

For the component/components, either no data are currently available or the data are not sufficient for classification.

### Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Surfactants	Dermal	Not classified for female reproduction	Rat	NOAEL 250 mg/kg/day	2 generation
Surfactants	Dermal	Not classified for development	Rat	NOAEL 250 mg/kg/day	2 generation
Surfactants	Dermal	Not classified for male reproduction	Rat	NOAEL 100 mg/kg/day	2 generation

# Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Surfactants	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Not available	NOAEL Not available	not available

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Surfactants	Dermal	kidney and/or bladder   hematopoietic system	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks

# **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in

Page: 7 of 11

Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient—is present below the threshold for labelling, an ingredient—is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

# 12.1. Toxicity

# Ecotoxic to the aquatic environment.

Acute Aquatic Toxicity: Category 1 (HSNO 9.1A Aquatic toxicity) Chronic Aquatic Toxicity: Category 3 (HSNO 9.1C Aquatic toxicity)

No product test data available.

Material	CAS Number	Organism	Type	Exposure	Test endpoint	Test result
Cellulose	9004-34-6		Data not available or insufficient for classification			N/A
Surfactants	68439-46-3	Fathead minnow	Experimental	96 hours	LC50	8.5 mg/l
Surfactants	68439-46-3	Green algae	Experimental	72 hours	EC50	45 mg/l
Surfactants	68439-46-3	Water flea	Experimental	48 hours	EC50	2.686 mg/l
Surfactants	68439-46-3	Fathead minnow	Experimental	30 days	NOEC	0.73 mg/l
Surfactants	68439-46-3	Green Algae	Experimental	72 hours	NOEC	1.2 mg/l
CLEANING AGENTS	68424-85-1	Activated sludge	Experimental	3 hours	EC50	7.75 mg/l
CLEANING AGENTS	68424-85-1	Diatom	Experimental	96 hours	EC50	0.089 mg/l
CLEANING AGENTS	68424-85-1	Green Algae	Experimental	72 hours	EC50	0.049 mg/l
CLEANING AGENTS	68424-85-1	Mysid Shrimp	Experimental	96 hours	LC50	0.092 mg/l
CLEANING AGENTS	68424-85-1	Rainbow trout	Experimental	96 hours	LC50	0.064 mg/l
CLEANING AGENTS	68424-85-1	Sheepshead Minnow	Experimental	96 hours	LC50	0.86 mg/l
CLEANING AGENTS	68424-85-1	Water flea	Experimental	48 hours	EC50	0.0058 mg/l
CLEANING AGENTS	68424-85-1	Diatom	Experimental	96 hours	NOEC	0.035 mg/l
CLEANING AGENTS	68424-85-1	Fathead minnow	Experimental	28 days	NOEC	0.0322 mg/l
CLEANING AGENTS	68424-85-1	Green algae	Experimental	72 hours	NOEC	0.009 mg/l
CLEANING AGENTS	68424-85-1	Water flea	Experimental	21 days	NOEC	0.00415 mg/l

# 12.2. Persistence and degradability

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Cellulose	9004-34-6	Data not			N/A	
		availbl-				
		insufficient				
Surfactants	68439-46-3	Experimental	28 days	BOD	88 % weight	OECD 301F -
		Biodegradation	-		_	Manometric

Page: 8 of 11

						respirometry
CLEANING	68424-85-1	Experimental	28 days	CO2 evolution	95.5 % weight	OECD 301B - Modified
AGENTS		Biodegradation				sturm or CO2

#### 12.3: Bioaccumulative potential

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Cellulose	9004-34-6	Data not	N/A	N/A	N/A	N/A
		available or				
		insufficient for				
		classification				
Surfactants	68439-46-3	Estimated		Bioaccumulatio	31	Estimated:
		Bioconcentrati		n factor		Bioconcentration factor
		on				
CLEANING	68424-85-1	Experimental	60 days	Bioaccumulatio	33	OECD305-
AGENTS		BCF - Bluegill	-	n factor		Bioconcentration

#### 12.4. Mobility in soil

Please contact manufacturer for more details

#### 12.5 Other adverse effects

No information available.

The surfactant(s) contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

# **SECTION 13: Disposal considerations**

# 13.1. Disposal methods

In accordance with the Hazardous Substances (Disposal) Notice 2017 and the relevant criteria of the HSNO Act 1996.

Dispose of waste product in a permitted industrial waste facility.

Packaging (that may or may not contain any residual substance) may be lawfully disposed of by householders or other consumers through public or commercial waste collection services.

# **SECTION 14: Transport Information**

New Zealand Land Transport Rule: Dangerous Goods - Road/Rail Transport

**UN No.:** UN3077

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (Benzyl-C12-16-

Alkyldimethyl Ammonium Chlorides )

Class/Division: 9
Sub Risk: Not applicable.
Packing Group: III

Special Instructions: Not restricted, environmentally hazardous substance exception.

Hazchem Code: 2Z

**IERG: 47** 

International Air Transport Association (IATA) - Air Transport

**UN No.:** UN3077

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (Benzyl-C12-16-

Alkyldimethyl Ammonium Chlorides )

Class/Division: 9

Page: 9 of 11

**Sub Risk:** Not applicable. **Packing Group:** III

Special Instructions: Not restricted, as per Special Provision A197, environmentally hazardous substance exception.

#### International Maritime Dangerous Goods Code (IMDG) - Marine Transport

**UN No.:** UN3077

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (Benzyl-C12-16-

Alkyldimethyl Ammonium Chlorides )

Class/Division: 9
Sub Risk: Not applicable.
Packing Group: III

Marine Pollutant: Benzyl-C12-16-Alkyldimethyl Ammonium Chlorides

**Special Instructions:** Not restricted, as per IMDG code 2.10.2.7, marine pollutant exception.

# **SECTION 15: Regulatory information**

HSNO Approval number HSR002530

Group standard name Cleaning Products (Subsidiary Hazard) Group Standard 2020

HSNO Hazard classification Refer to Section 2: Hazard identification

#### NZ Inventory of Chemicals (NZIoC) Status

All applicable chemical ingredients in this material are in compliance with NZIoC listing requirements.

# Controls in accordance with The Health and Safety at Work Act 2015, Health and Safety at Work (Hazardous Substances) Regulations 2017 and the HSNO Act 1996, Hazardous Substances (Hazardous Property Controls) Notice

Certified handler Not required Location Compliance Certificate Not required Hazardous atmosphere zone Not required Fire extinguishers Not required

Emergency response plan 100 L or 100 kg (for Hazardous to the aquatic environment Category 1

substances); or 1 000 L or 1 000 kg (for Acute toxicity Category 4, Skin sensitisation Category 1, Respiratory sensitisation Category 1, Hazardous to the aquatic environment Category 2 or Hazardous to the aquatic environment Category 3 substances); or 10 000 L or 10 000 kg (for Germ cell mutagenicity Category 1, Reproductive toxicity Category 1, Specific target organ toxicity Category 1, Serious eye damage Category 1, Hazardous to the aquatic

environment Category 4 substances)

Secondary containment 100 L or 100 kg (for Hazardous to the aquatic environment Category 1

substances); or 1 000 L or 1 000 kg (for Acute toxicity Category 4, Skin sensitisation Category 1, Respiratory sensitisation Category 1, Hazardous to the aquatic environment Category 2 or Hazardous to the aquatic environment Category 3 substances); or 10 000 L or 10 000 kg (for Germ cell mutagenicity Category 1, Reproductive toxicity Category 1, Specific target organ toxicity Category 1, Serious eye damage Category 1, Hazardous to the aquatic

environment Category 4 substances)

Tracking Not required

Warning signage 100 L or 100 kg (for Hazardous to the aquatic environment Category 1

substances); or 1 000 L or 1 000 kg (for Serious eye damage Category 1, Hazardous to the aquatic environment Category 2 or Hazardous to the aquatic environment Category 3 substances); or 10 000 L or 10 000 kg (for Acute toxicity Category 4 or Hazardous to the aquatic environment Category 4

substances)

# **SECTION 16: Other information**

Page: 10 of 11

# **Revision information:**

Complete document review.

Document group:	11-7028-1	Version number:	3.01
Issue Date:	18/01/2022	Supersedes date:	15/11/2020

#### Key to abbreviations and acronyms

**GHS** refers to the Globally Harmonised System of Classification and Labelling of Chemicals, 7th revised edition of 2017 **HSNO** means Hazardous Substances and New Organisms Act 1996

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M New Zealand SDS are available at 3M New Zealand Website: http://solutions.3mnz.co.nz