New Zealand Update1 August 2022

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: November 26, 2014

Printing date: November 26, 2014

SECTION 1: Identification of the substance/mixture and of the company/ undertaking · 1.1 Product identifier Trade name: Lightning Powder Basic Red 28 · Article number: 1003884 (1-0075) · CAS Number: 72828-91-2 · EC number: 276-859-9 · 1.2 Relevant identified uses of the substance or mixture and uses advised against Staining dye • 1.3 Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: Safariland, LLC, 13386 International Parkway, Jacksonville, FL 32218, USA New Zealand Importer/Supplier: Aorangi Forensic Supplies Ltd Unit 4/5 Port Rd, Seaview Wellington, New Zealand Phone: +64 4 939 1527 LIGHTNING · 1.4 Emergency telephone number: New Zealand In Case of Emergency Contact: POWDER CHEMCALL: 0800 CHEMCALL (243 622) International: ChemTel Inc. +1 (813)248-0585 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Classifications listed also are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200). The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H400, H410. May form combustible dust concentrations in air. (USA GHS Only) environment H400 Very toxic to aquatic life. Aquatic Acute 1 Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects. Eve Irrit. 2 H319 Causes serious eye irritation. Classification according to Directive 67/548/EEC or Directive 1999/45/EC 🗙 Xi; Irritant R36: Irritating to eyes. Y N; Dangerous for the environment Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic R50/53: environment.

Printing date: November 26, 2014

Revision: November 26, 2014

Trade name: Lightning Powder Basic Red 28



Printing date: November 26, 2014

Revision: November 26, 2014

Trade name: Lightning Powder Basic Red 28

(Contd. of page 2)

· HMIS-ratings (scale 0 - 4)

1 Health = 1 HEALTH • Fire = 0 **REACTIVITY** Reactivity = 0

· HMIS Long Term Health Hazard Substances

Substance is not listed.

· 2.3 Other hazards

FIRE

Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- · CAS No. Description
- 72828-91-2 Basic Red 28
- Identification number(s)
- · EC number: 276-859-9

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Wash with soap and water.
- If skin irritation continues, consult a doctor.
- · After eye contact:
- Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed Irritant to eyes. Slight irritant effect on skin and mucous membranes.

May cause gastro-intestinal irritation if ingested.

- · Hazards No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 4)

Printing date: November 26, 2014

Revision: November 26, 2014

Trade name: Lightning Powder Basic Red 28

(Contd. of page 3)

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents: Water mist, dry powder, foam, CO2.
- For safety reasons unsuitable extinguishing agents: None. • 5.2 Special hazards arising from the substance or mixture
- May form combustible dust concentrations in air. Formation of toxic gases is possible during heating or in case of fire.
- · 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Avoid formation of dust. Keep away from ignition sources. Wear protective equipment. Keep unprotected persons away. For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system. · 6.3 Methods and material for containment and cleaning up: Pick up mechanically. Dispose contaminated material as waste according to item 13. Send for recovery or disposal in suitable receptacles. Do not flush with water or aqueous cleansing agents · 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Use only in well ventilated areas. Prevent formation of dust. Any unavoidable deposit of dust must be regularly removed. Avoid contact with the eyes and skin.

Information about fire - and explosion protection:

Dust can combine with air to form an explosive mixture.

(Contd. on page 5)

Printing date: November 26, 2014

Revision: November 26, 2014

Trade name: Lightning Powder Basic Red 28

(Contd. of page 4)

- \cdot 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in cool, dry place.
- Information about storage in one common storage facility:
- Store away from foodstuffs. Store away from oxidising agents.

Do not store together with acids.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace: Not required.
- · DNELs No further relevant information available.
- **PNECs** No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale dust / smoke / mist.

· Respiratory protection: Use suitable respiratory protective device when high concentrations are present.

· Protection of hands:

Latex or nitrile gloves may be used.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.


· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



· Body protection:

Not required under normal conditions of use.

(Contd. on page 6)

Printing date: November 26, 2014

Revision: November 26, 2014

Trade name: Lightning Powder Basic Red 28

(Contd. of page 5)

Protection may be required for spills.
Limitation and supervision of exposure into the environment Do not release into any body of water. No further relevant information available.
Risk management measures

See Section 7 for additional information. No further relevant information available.

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour: Odour threshold: 	d chemical properties Solid Red None Not determined.	
· pH-value:	Not applicable.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Melting Point Range: 248 ° F / 120 °C. Undetermined.	
· Flash point:	Not applicable.	
 Flammability (solid, gaseous): 	Product is not flammable.	
· Auto/Self-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits: Lower: Upper: 	Not determined. Not determined.	
· Vapour pressure:	Not applicable.	
 Density at 20 °C: Relative density Vapour density Evaporation rate 	2,2 g/cm ³ Not determined. Not applicable. Not applicable.	
 Solubility in / Miscibility with water: 	0.1% solubility	
· Partition coefficient (n-octanol/water): Not determined.		
 Viscosity: Dynamic: 	Not applicable.	(Contd. on page 7)

(Contd. of page 6)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and **OSHA GHS**

Printing date: November 26, 2014

Revision: November 26, 2014

Trade name: Lightning Powder Basic Red 28

Kinematic:

Not applicable.

· 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions

As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.

Reacts with strong acids and oxidising agents.

Toxic fumes may be released if heated above the decomposition point.

- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide Nitrogen oxides

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Slight irritant effect on skin and mucous membranes.
- · on the eye: Irritating effect.
- **Sensitisation:** Sensitising effect by skin contact is possible by prolonged exposure.
- · Additional toxicological information: No further relevant information available.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

Do not release into bodies of water. Toxic for aquatic organisms

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment); extremely hazardous for water Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 8)

Printing date: November 26, 2014

Revision: November 26, 2014

Trade name: Lightning Powder Basic Red 28

(Contd. of page 7)

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Incinerate in accordance with local, state and federal regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information	
· 14.1 UN-Number	
· DOT	Not Regulated Classification as a MARINE POLLUTANT is based on MARPOL and DOT rules. Labeling as a MARINE POLLUTANT is not required for non-bulk single package shipments by motor vehicle, rail car or aircraft. Bulk packaging consists of a maximum capacity of greater than 450L (119 gallons) for a liquid and a maximum net mass greater than 400kg (882 pounds) for a solid.
· ADR, IMDG, IATA	UN3077
 14.2 UN proper shipping name 	
·DOT	Not Regulated
· ADR	3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Basic Red 28)
·IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Basic Red 28), MARINE POLLUTANT
·IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Basic Red 28)
	(Contd. on page 9)

Printing date: November 26, 2014

Revision: November 26, 2014

14.3 Transport hazard class(es)	(Contd. of page 8
DOT	
Class	Not Regulated
ADR	
Class	9 (M7) Miscellaneous dangerous substances an articles.
Label	9
IMDG, IATA	
Class	9 Miscellaneous dangerous substances and articles.
Label	9
14.4 Packing group	
DOT	Not Regulated
ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	Yes
	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances an articles.
Danger code (Kemler):	90
EMS Number:	F-A,S-F
14.7 Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5 kg
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 g
_	Maximum net quantity per outer packaging: 1000 g
Transport category	3
Tunnel restriction code	E
UN "Model Regulation":	UN3077, ENVIRONMENTALLY HAZARDOU

(Contd. on page 10)

Printing date: November 26, 2014

Revision: November 26, 2014

Trade name: Lightning Powder Basic Red 28

(Contd. of page 9)

SECTION 15: Regulatory information · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture United States (USA) · SARA · Section 355 (extremely hazardous substances): Substance is not listed. · Section 313 (Specific toxic chemical listings): Substance is not listed. • TSCA (Toxic Substances Control Act): Substance is listed. · Proposition 65 (California): · Chemicals known to cause cancer: Substance is not listed. · Chemicals known to cause reproductive toxicity for females: Substance is not listed. · Chemicals known to cause reproductive toxicity for males: Substance is not listed. Chemicals known to cause developmental toxicity: Substance is not listed. Carcinogenic Categories · EPA (Environmental Protection Agency) Substance is not listed. • IARC (International Agency for Research on Cancer) Substance is not listed. • TLV (Threshold Limit Value established by ACGIH) Substance is not listed. · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. · Canada · Canadian Domestic Substances List (DSL) Substance is listed. Canadian Ingredient Disclosure list (limit 0.1%) Substance is not listed. Canadian Ingredient Disclosure list (limit 1%) Substance is not listed. · Other regulations, limitations and prohibitive regulations This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

(Contd. on page 11)

(Contd. of page 10)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: November 26, 2014

Revision: November 26, 2014

Trade name: Lightning Powder Basic Red 28

· Substances of very high concern (SVHC) according to REACH, Article 57

Substance is not listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com