Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and

GHS

Printing date: September 16, 2014

Revision: September 16, 2014 New Zealand Update: 1 August 2022

SECTION 1: Identification of the substance/mixture and of the company/ undertaking · 1.1 Product identifier · Trade name: NIK Test M · Article number: 800-6082 (1006160) • 1.2 Relevant identified uses of the substance or mixture and uses advised against Methagualone Test Kit • 1.3 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Safariland, LLC, 13386 International Parkway, Jacksonville, FL 32218, USA · New Zealand Importer/Supplier: Aorangi Forensic Supplies Ltd · Unit 4/5 Port Rd, Seaview · Wellington, New Zealand · Phone: +64 4 939 1527 · 1.4 Emergency telephone number: New Zealand · In Case of Emergency Contact: · CHEMCALL: 0800 CHEMCALL (243 622) International ChemTel Inc. +1 (813)248-0585) SECTION 2: Hazards identification · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. Classification according to Directive 67/548/EEC or Directive 1999/45/EC R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. · Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. · Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company. · 2.2 Label elements - Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms Not Regulated • Signal word Not Regulated · Hazard statements The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412. H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements P273 Avoid release to the environment.

(Contd. on page 2)

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test M

(Contd. of page 1) P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Hazard description: · WHMIS-symbols: Not hazardous under WHMIS. · NFPA ratings (scale 0 - 4) Health = 0Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) I Health = 0 HEALTH • Fire = 0 FIRE **REACTIVITY** Reactivity = 0 · HMIS Long Term Health Hazard Substances None of the ingredients is listed. · 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

| · Dangerous compo | nents: | |
|-------------------------------------|---|--------|
| CAS: 56-81-5 EINECS: 200-289-5 | glycerol substance with a Community workplace exposure limit | 25-50% |
| CAS: 3017-60-5 EINECS: 221-156-8 | cobalt dithiocyanate Xn R20/21/22; BN R50/53 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 | ≤ 2,5% |
| CAS: 87-69-4 EINECS: 201-766-0 | (+)-tartaric acid Xi R41 ♦ Eye Dam. 1, H318 | ≤ 2,5% |
| Additional information | tion: For the wording of the listed risk phrases refer to section 16. | |

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation:
- Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

(Contd. on page 3)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test M

(Contd. of page 2)

After skin contact: Immediately rinse with water. If skin irritation is experienced, consult a doctor.
After eye contact: Protect unharmed eye. Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately.

- \cdot 4.2 Most important symptoms and effects, both acute and delayed
- Irritant to eyes. Breathing difficulty

Coughing

- Hazards May be harmful if inhaled.
- 4.3 Indication of any immediate medical attention and special treatment needed If necessary oxygen respiration treatment.

Contains cobalt salt <1%.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- **Protective equipment:** Wear self-contained respiratory protective device.
- Wear fully protective suit.

· Additional information Use large quantities of foam as it is partially destroyed by the product.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
 Ensure adequate ventilation
 For large spills, wear protective clothing.
 For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
 Particular danger of slipping on leaked/spilled product.
 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
 6.3 Methods and material for containment and cleaning up:
 Aber built liquid binding against disclosure of distributed product.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test M

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Use only in well ventilated areas.
- Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
 Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from foodstuffs. Do not store together with exidizing and acidic meterials.

Do not store together with oxidizing and acidic materials.

- \cdot Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

• Ingredients with limit values that require monitoring at the workplace:

56-81-5 glycerol

PEL (USA) Long-term value: 15* 5** mg/m³ mist; *total dust **respirable fraction

TLV (USA) TLV withdrawn-insufficient data human occup. exp.

EL (Canada) Long-term value: 10* 3** mg/m³ *mist; **mist, resirable

- EV (Canada) Long-term value: 10 mg/m³
- DNELs No further relevant information available.
- PNECs No further relevant information available.
- Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- Wash hands before breaks and at the end of work.
- Do not inhale gases / fumes / aerosols.
- Avoid contact with the eyes.
- · Respiratory protection:
- Not required under normal conditions of use.
- Use suitable respiratory protective device when aerosol or mist is formed.
- For spills, respiratory protection may be advisable.

(Contd. on page 5)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test M

(Contd. of page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment No further relevant information available.
- · Risk management measures See Section 7 for additional information.

No further relevant information available.

SECTION 9: Physical and chemical properties

| · Appearance: | |
|---|-------------------------------------|
| Form: | Liquid |
| Colour: | Pink |
| · Odour: | Odourless |
| · Odour threshold: | Not determined. |
| · pH-value: | Not determined. |
| Change in condition Melting point/Melting range: Boiling point/Boiling range: | Not Determined. 212 ° F / 100 °C |
| · Flash point: | Not applicable. |
| · Flammability (solid, gaseous): | Not applicable. |
| · Auto/Self-ignition temperature: | 752 ° F / 400 °C |

(Contd. on page 6)

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test M

| | | (Contd. of page 5) |
|---|--|--------------------|
| Decomposition temperature: | Not determined. | |
| · Self-igniting: | Product is not self-igniting. | |
| · Danger of explosion: | Product does not present an explosion hazard. | |
| · Explosion limits: Lower: Upper: | 0,9 Vol % Not determined. | |
| · Vapour pressure at 20 °C: | 23 hPa | |
| Density at 20 °C: Relative density Vapour density Evaporation rate | 1 g/cm ³ Not determined. Not determined. Not determined. | |
| Solubility in / Miscibility with water: | Fully miscible. | |
| · Partition coefficient (n-octanol/water |): Not determined. | |
| Viscosity: Dynamic: Kinematic: 9.2 Other information | Not determined. Not determined. No further relevant information available. | |

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** Toxic fumes may be released if heated above the decomposition point. Reacts with strong alkali.
- Reacts with strong oxidizing agents.
- \cdot 10.4 Conditions to avoid Store away from oxidizing agents.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:
- Carbon monoxide and carbon dioxide Toxic metal oxide smoke Sulphur oxides (SOx)

(Contd. on page 7)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test M

(Contd. of page 6)

SECTION 11: Toxicological information

• 11.1 Information on toxicological effects

· Acute toxicity:

Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: Irritating effect.

• Sensitization: Sensitizing effect by skin contact is possible by prolonged exposure.

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

May be harmful if inhaled.

• Repeated dose toxicity: Repeated exposure may result in skin sensitivity.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: The product contains materials that are harmful to the environment.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

The product contains materials that are harmful to the environment.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

(Contd. on page 8)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test M

(Contd. of page 7)

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

| SECTION 14: Transport information | |
|---|-----------------|
| · 14.1 UN-Number | |
| · DOT, ADR, ADN, IMDG, IATA | Not Regulated |
| 14.2 UN proper shipping name DOT, ADR, ADN, IMDG, IATA | Not Regulated |
| · 14.3 Transport hazard class(es) | |
| · DOT, ADR, ADN, IMDG, IATA | |
| · Class | Not Regulated |
| 14.4 Packing group | |
| · DOT, ADR, IMDG, IATA | Not Regulated |
| 14.5 Environmental hazards: | |
| • Marine pollutant: | No |
| 14.6 Special precautions for user | Not applicable. |
| 14.7 Transport in bulk according to Annex II | of |
| MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | - |

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • United States (USA)

·SARA

| · Section 355 (extremely h | azardous substances): |
|----------------------------|-----------------------|
|----------------------------|-----------------------|

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

3017-60-5 cobalt dithiocyanate

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65 (California):

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

(Contd. on page 9)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test M

| | (Contd. of page |
|---|-----------------|
| \cdot Chemicals known to cause reproductive toxicity for males: | |
| None of the ingredients is listed. | |
| \cdot Chemicals known to cause developmental toxicity: | |
| None of the ingredients is listed. | |
| · Carcinogenic Categories | |
| · EPA (Environmental Protection Agency) | |
| None of the ingredients is listed. | |
| · IARC (International Agency for Research on Cancer) | |
| 3017-60-5 cobalt dithiocyanate | 28 |
| • TLV (Threshold Limit Value established by ACGIH) | |
| None of the ingredients is listed. | |
| \cdot NIOSH-Ca (National Institute for Occupational Safety and Health) | |
| None of the ingredients is listed. | |
| · Canada | |
| · Canadian Domestic Substances List (DSL) | |
| All ingredients are listed. | |
| · Canadian Ingredient Disclosure list (limit 0.1%) | |
| None of the ingredients is listed. | |
| · Canadian Ingredient Disclosure list (limit 1%) | |
| None of the ingredients is listed. | |
| · Other regulations, limitations and prohibitive regulations | |
| This product has been classified in accordance with hazard criteria of the Contro | |
| and the SDS contains all the information required by the Controlled Products Re | gulations. |
| \cdot Substances of very high concern (SVHC) according to REACH, Article 57 | |
| None of the ingredients is listed. | |
| • 15.2 Chemical safety assessment: A Chemical Safety Assessment has not be | en carried out. |
| | |
| SECTION 16: Other information | |

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H318 Causes serious eye damage.
- H332 Harmful if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.
- R41 Risk of serious damage to eyes.

(Contd. on page 10)

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test M

(Contd. of page 9) R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) Acute Tox. 4: Acute toxicity, Hazard Category 4 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com

Printing date: September 16, 2014

Revision: September 16, 2014

| SECTION 1: Identification of the substance/mixture and of the company/ undertaking |
|--|
| · 1.1 Product identifier |
| · Trade name: <u>NIK Test M 2nd Ampoule</u> |
| Article number: 800-6082 (1006160) CAS Number: 7664-38-2 EINECS Number: 231-633-2 Index number: 015-011-00-6 1.2 Relevant identified uses of the substance or mixture and uses advised against Methaqualone Test Kit |
| 1.3 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Safariland, LLC 11386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200 1.4 Emergency telephone number: |
| • 1.4 Emergency telephone number: ChemTel Inc. (800)255-3924, +1 (813)248-0585 |
| SECTION 2: Hazards identification |
| • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 • corrosion |
| Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1B H314 Causes severe skin burns and eye damage. |
| Classification according to Directive 67/548/EEC or Directive 1999/45/EC C; Corrosive |
| R34: Causes burns. Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is |
| supplemented by information from technical literature and by information provided by the company. • 2.2 Label elements |
| Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. (Contd. on page 2) |

Printing date: September 16, 2014

Revision: September 16, 2014

| Hazard pictog | | d. of pa |
|--|---|----------|
| <u>^</u> | | |
| LE. | | |
| $\mathbf{\nabla}$ | | |
| GHS05 | | |
| Signal word | langer | |
| Hazard-deter | nining components of labelling: | |
| phosphoric ac | | |
| Hazard stater | | |
| | corrosive to metals. | |
| | severe skin burns and eye damage. | |
| Precautionary P280 | Wear protective gloves / eye protection. | |
| P264 | Wear protective gloves / eye protection. Wash thoroughly after handling. | |
| | 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact | t lense |
| | present and easy to do. Continue rinsing. | |
| | 331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. | |
| P390 | Absorb spillage to prevent material damage. | - |
| P501 | Dispose of contents/container in accordance with local/regional/national/int | ernatio |
| Userard decer | regulations. | |
| Hazard descr WHMIS-symb | | |
| E - Corrosive r | | |
| | | |
| 17 74 | | |
| ピジ | | |
| | | |
| • NFPA ratings | | |
| | alth = 3 a = 0 | |
| | s = 0 activity = 0 | |
| | | |
| · HMIS-ratings | (scale 0 - 4) | |
| HEALTH 3 H | ealth = 3 | |
| FIRE 0 Fi | re = 0 | |
| REACTIVITY 0 R | eactivity = 0 | |
| HMIS Long To | erm Health Hazard Substances | |
| None of the in | gredients is listed. | |
| 2.3 Other haz | | |
| | T and vPvB assessment | |
| • PBT: Not appl | | |
| · vPvB: Not app | licable. | |

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test M 2nd Ampoule

(Contd. of page 2)

| • Description: Mixture of | substances listed below with nonhazardous additions. | |
|--|--|--------|
| Dangerous component | | |
| CAS: 7664-38-2 EINECS: 231-633-2 Index number: 015-011-0 | phosphoric acid C R34 00-6 Skin Corr. 1B, H314 | 50-100 |
| | For the wording of the listed risk phrases refer to section 16. | |
| SECTION 4: First a | id measures | |
| · 4.1 Description of first | aid measures | |
| General information: | | |
| Immediately remove any | clothing soiled by the product. | |
| Take affected persons o | ut into the fresh air. | |
| | r fresh air; consult doctor in case of complaints. | |
| After skin contact: | | |
| | clothing soiled by the product. | |
| Immediately rinse with w | | |
| | l help for blistering or open wounds. | |
| After eye contact: | | |
| Protect unharmed eye. | | |
| Remove contact lenses i | | |
| | veral minutes under running water. Then consult a doctor. | |
| After swallowing: | | |
| | | |
| Rinse out mouth and the | n drink plenty of water. | |
| Rinse out mouth and the Do not induce vomiting; | call for medical help immediately. | |
| Rinse out mouth and the Do not induce vomiting; • 4.2 Most important syn | call for medical help immediately. nptoms and effects, both acute and delayed | |
| Rinse out mouth and the Do not induce vomiting; 4.2 Most important syn Strong caustic effect on s | call for medical help immediately. nptoms and effects, both acute and delayed skin and mucous membranes. | |
| Rinse out mouth and the Do not induce vomiting; 4.2 Most important syn Strong caustic effect on a Gastric or intestinal disor | call for medical help immediately. nptoms and effects, both acute and delayed skin and mucous membranes. | |
| Rinse out mouth and the Do not induce vomiting; 4.2 Most important syn Strong caustic effect on s Gastric or intestinal disor Hazards | call for medical help immediately. hptoms and effects, both acute and delayed skin and mucous membranes. rders when ingested. | |
| Rinse out mouth and the Do not induce vomiting; 4.2 Most important syn Strong caustic effect on a Gastric or intestinal dison Hazards Danger of gastric perform | call for medical help immediately. hptoms and effects, both acute and delayed skin and mucous membranes. rders when ingested. ation. | |
| Rinse out mouth and the Do not induce vomiting; 4.2 Most important syn Strong caustic effect on a Gastric or intestinal disor Hazards Danger of gastric perfora Danger of severe eye inj | call for medical help immediately. nptoms and effects, both acute and delayed skin and mucous membranes. rders when ingested. ation. ury. | |
| Rinse out mouth and the Do not induce vomiting; d 4.2 Most important syn Strong caustic effect on a Gastric or intestinal disor Hazards Danger of gastric perfora Danger of severe eye inj May be harmful if inhaled | call for medical help immediately. nptoms and effects, both acute and delayed skin and mucous membranes. rders when ingested. ation. ury. d. | |
| Rinse out mouth and the Do not induce vomiting; d 4.2 Most important syn Strong caustic effect on a Gastric or intestinal disor Hazards Danger of gastric perfora Danger of severe eye inj May be harmful if inhaled | call for medical help immediately. nptoms and effects, both acute and delayed skin and mucous membranes. rders when ingested. ation. ury. d. mediate medical attention and special treatment needed | |

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 4)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test M 2nd Ampoule

· 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

· Additional information No further relevant information available.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 For large spills, wear protective clothing.
 For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
 Ensure adequate ventilation
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Use limestone to neutralize and absorb spill. Send for recovery or disposal in suitable receptacles. Dispose contaminated material as waste according to item 13. Clean the affected area carefully; suitable cleaners are: Warm water

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Prevent formation of aerosols. Use only in well ventilated areas.
- · Information about fire and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle. Unsuitable material for receptacle: aluminium.
- · Information about storage in one common storage facility:
- Store away from foodstuffs. Store away from oxidizing agents.

Store away from metals.

Do not store together with alkalis (caustic solutions).

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 5)

(Contd. of page 3)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test M 2nd Ampoule

(Contd. of page 4)

| | formation about design of technical facilities: No further data; see item 7. |
|--|--|
| 8.1 Control p | parameters |
| Ingredients | with limit values that require monitoring at the workplace: |
| 7664-38-2 ph | osphoric acid |
| IOELV (EU) | Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³ |
| PEL (USA) | Long-term value: 1 mg/m ³ |
| REL (USA) | Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ |
| TLV (USA) | Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ |
| EL (Canada) | Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ |
| EV (Canada) | Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ |
| | |
| General prot The usual prot Keep away fr Do not inhale Immediately i Wash hands Avoid contact Respiratory Not required Use suitable For spills, res | ective equipment: ective and hygienic measures: ecautionary measures are to be adhered to when handling chemicals. om foodstuffs, beverages and feed. gases / fumes / aerosols. remove all soiled and contaminated clothing. before breaks and at the end of work. with the eyes and skin. protection: under normal conditions of use. respiratory protective device when aerosol or mist is formed. piratory protection may be advisable. |
| Personal pro General prof The usual prof Keep away fr Do not inhale Immediately f Wash hands Avoid contact Respiratory Not required Use suitable For spills, res Protection o | Attective equipment: ective and hygienic measures: ecautionary measures are to be adhered to when handling chemicals. om foodstuffs, beverages and feed. gases / fumes / aerosols. remove all soiled and contaminated clothing. before breaks and at the end of work. with the eyes and skin. protection: under normal conditions of use. respiratory protective device when aerosol or mist is formed. piratory protection may be advisable. f hands: ective gloves |
| Personal pro General prof The usual prof Keep away fr Do not inhale Immediately f Wash hands Avoid contact Respiratory Not required Use suitable For spills, res Protection o Prote | Attective equipment: ective and hygienic measures: ecautionary measures are to be adhered to when handling chemicals. before devices and feed. gases / fumes / aerosols. emove all soiled and contaminated clothing. before breaks and at the end of work. with the eyes and skin. protection: under normal conditions of use. respiratory protective device when aerosol or mist is formed. piratory protection may be advisable. f hands: ective gloves atterial has to be impermeable and resistant to the product/ the substance/ the preparation. the glove material on consideration of the penetration times, rates of diffusion and the |

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test M 2nd Ampoule

(Contd. of page 5)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment
- No further relevant information available.
- · Risk management measures
- See Section 7 for additional information.

No further relevant information available.

SECTION 9: Physical and chemical properties

| 9.1 Information on basic physical a General Information Appearance: Form: Colour: Odour: Odour threshold: | nd chemical properties Liquid Colourless Acrid Not determined. | |
|---|--|--------------------|
| · pH-value: | Not determined. | |
| Change in condition Melting point/Melting range: Boiling point/Boiling range: | Not Determined. 212° F/ 100 °C | |
| · Flash point: | Not applicable. | |
| · Flammability (solid, gaseous): | Not applicable. | |
| · Auto/Self-ignition temperature: | Not determined. | |
| · Decomposition temperature: | Not determined. | |
| · Self-igniting: | Product is not self-igniting. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: Lower: Upper: | Not determined. Not determined. | |
| Vapour pressure at 20 °C: | 23 hPa | (Contd. on page 7) |

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test M 2nd Ampoule

| | | (Contd. of page 6) |
|---|--|--------------------|
| · Density at 20 °C: | 1,75 g/cm³ | |
| · Relative density | Not determined. | |
| · Vapour density | Not determined. | |
| · Evaporation rate | Not determined. | |
| · Solubility in / Miscibility with | | |
| water: | Fully miscible. | |
| · Partition coefficient (n-octand | ol/water): Not determined. | |
| · Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| 9.2 Other information | No further relevant information available. | |

SECTION 10: Stability and reactivity

· 10.1 Reactivity

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions
- Reacts with alkali (lyes). Reacts with metals forming hydrogen.

Corrosive action on metals.

Toxic fumes may be released if heated above the decomposition point.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Phosphorus oxides (e.g. P2O5)

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 8)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test M 2nd Ampoule

(Contd. of page 7)

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- Remark: After neutralization a reduction of the harming action may be recognized
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Dilute concentrate with water and neutralize afterwards with suitable alkali material (sodium hydroxide solution, lime). The formed neutral salts are relatively environment-friendly.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- · 14.1 UN-Number
- \cdot DOT, ADR, IMDG, IATA
- · 14.2 UN proper shipping name
- · DOT
- · ADR
- · IMDG, IATA

UN1805

Phosphoric acid solution 1805 PHOSPHORIC ACID, SOLUTION PHOSPHORIC ACID, SOLUTION

(Contd. on page 9)

Printing date: September 16, 2014

Revision: September 16, 2014

| · 14.3 Transport hazard class(es) | (Contd. of page |
|--|--|
| · DOT | |
| | |
| <u>s</u> | |
| · Class | 8 Corrosive substances. |
| · Label | 8 |
| · ADR | |
| 15 Start Sta | |
| | |
| · Class | 8 (C1) Corrosive substances. |
| · Label | 8 |
| · IMDG, IATA | - |
| | |
| | |
| · Class | 8 Corrosive substances. |
| ·Label | 8 |
| · 14.4 Packing group | |
| DOT, ADR, IMDG, IATA 14.5 Environmental hazards: | 111 |
| | No |
| • Marine pollutant: | No |
| • 14.6 Special precautions for user | Warning: Corrosive substances. |
| · Danger code (Kemler): · EMS Number: | 80 F-A,S-B |
| | Acids |
| Segregation groups 14.7 Transport in bulk according to Annex II of | |
| MARPOL73/78 and the IBC Code | Not applicable. |
| | Not applicable. |
| Transport/Additional information: | |
| · ADR | |
| Limited quantities (LQ) | 5L Carder F1 |
| Excepted quantities (EQ) | Code: E1 Maximum not quantity par inper packaging: 20 ml |
| | Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml |
| · Transport category | 3 |
| · Tunnel restriction code | E |
| | _ |
| · IMDG | 5L |
| Limited quantities (LQ) Excented quantities (EQ) | SL Code: E1 |
| Excepted quantities (EQ) | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 1000 ml |
| | (Contd. on page 1 |

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test M 2nd Ampoule

· UN "Model Regulation":

(Contd. of page 9) UN1805, PHOSPHORIC ACID, SOLUTION, 8, III

| SECTION 15: Regulatory information | |
|--|-------------------------|
| 15.1 Safety, health and environmental regulations/legislation specific for th United States (USA) SARA | ne substance or mixture |
| Section 355 (extremely hazardous substances): | |
| None of the ingredients is listed. | |
| · Section 313 (Specific toxic chemical listings): | |
| 7664-38-2 phosphoric acid | |
| TSCA (Toxic Substances Control Act): | |
| All ingredients are listed. | |
| · Proposition 65 (California): | |
| · Chemicals known to cause cancer: | |
| None of the ingredients is listed. | |
| · Chemicals known to cause reproductive toxicity for females: | |
| None of the ingredients are listed. | |
| · Chemicals known to cause reproductive toxicity for males: | |
| None of the ingredients is listed. | |
| · Chemicals known to cause developmental toxicity: | |
| None of the ingredients is listed. | |
| · Carcinogenic Categories | |
| · EPA (Environmental Protection Agency) | |
| None of the ingredients is listed. | |
| IARC (International Agency for Research on Cancer) | |
| None of the ingredients is listed. | |
| · TLV (Threshold Limit Value established by ACGIH) | |
| None of the ingredients is listed. | |
| · NIOSH-Ca (National Institute for Occupational Safety and Health) | |
| None of the ingredients is listed. | |
| · Canada | |
| · Canadian Domestic Substances List (DSL) | |
| All ingredients are listed. | |
| · Canadian Ingredient Disclosure list (limit 0.1%) | |
| None of the ingredients is listed. | |
| · Canadian Ingredient Disclosure list (limit 1%) | |
| 7664-38-2 phosphoric acid | |
| | (Contd. on page 11 |

GHS

Printing date: September 16, 2014

Revision: September 16, 2014


Trade name: NIK Test M 2nd Ampoule

(Contd. of page 10)

· Other regulations, limitations and prohibitive regulations This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Substances of very high concern (SVHC) according to REACH, Article 57 None of the ingredients is listed. · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out. **SECTION 16: Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Relevant phrases H314 Causes severe skin burns and eye damage. R34 Causes burns. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) Met. Corr.1: Corrosive to metals, Hazard Category 1 Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com

Printing date: September 16, 2014

Revision: September 16, 2014



GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test M 3rd Ampoule

| (Contd. of page 1) |
|---|
| 🗙 Xi; Irritant |
| R38: Irritating to skin. |
| Carc. Cat. 3 |
| Information concerning particular hazards for human and environment: Not applicable. |
| · 2.2 Label elements |
| Labelling according to Regulation (EC) No 1272/2008 |
| The substance is classified and labelled according to the CLP regulation. |
| · Hazard pictograms |
| $\mathbf{A} = \mathbf{A}$ |
| |
| GHS07 GHS08 |
| |
| · Signal word Warning |
| Hazard-determining components of labelling: trichloromethane |
| · Hazard statements |
| The following Hazard Statements are applicate only according to OSHA regulations within the United |
| States. These Statements are not applicable for the CLP regulation (1272/2008/EC) in the EU. H336. |
| STOT SE 3 H336 May cause drowsiness or dizziness. H302 Harmful if swallowed. |
| H315 Causes skin irritation. |
| H351 Suspected of causing cancer. |
| H373 May cause damage to organs through prolonged or repeated exposure. Route of exposure: Oral, |
| Inhalative. • Precautionary statements |
| P281 Use personal protective equipment as required. |
| P260 Do not breathe mist/vapours/spray. |
| P308+P313 IF exposed or concerned: Get medical advice/attention. |
| P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P302+P352 IF ON SKIN: Wash with plenty of water. |
| P501 Dispose of contents/container in accordance with local/regional/national/international |
| regulations. |
| Additional information: |
| For use in industrial installations only. • Hazard description: |
| · WHMIS-symbols: |
| D1B - Toxic material causing immediate and serious toxic effects |
| D2A - Very toxic material causing other toxic effects |
| |
| |
| (Contd. on page 3) |

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test M 3rd Ampoule

(Contd. of page 2)

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH12Health = *2FIRE0Fire = 0REACTIVITY0Reactivity = 0

* - Indicates a long term health hazard from repeated or prolonged exposures.

HMIS Long Term Health Hazard Substances

Substance is not listed.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- · CAS No. Description
- 67-66-3 trichloromethane
- Identification number(s)
- EC number: 200-663-8
- · Index number: 602-006-00-4

SECTION 4: First aid measures

\cdot 4.1 Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Immediately remove any clothing soiled by the product.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- · After inhalation:
- Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

 After skin contact: Immediately remove any clothing soiled by the product. Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 4)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test M 3rd Ampoule

(Contd. of page 3) · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. · 4.2 Most important symptoms and effects, both acute and delayed Breathing difficulty Coughing Dizziness May cause respiratory irritation. Irritant to skin and mucous membranes. Disorientation Unconsciousness Hazards Danger of cerebral oedema. Danger of convulsion. Danger of impaired breathing. Limited evidence of a carcinogenic effect. Danger of serious damage to health by prolonged exposure. Vapours may cause drowsiness and dizziness. Causes damage to organs through prolonged or repeated exposure. 4.3 Indication of any immediate medical attention and special treatment needed If swallowed, gastric irrigation with added, activated carbon. May produce a hepatotoxic / neurotoxic effect. If necessary oxygen respiration treatment. Medical supervision for at least 48 hours.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced. Formation of toxic gases is possible during heating or in case of fire.
- \cdot 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information No further relevant information available.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures For large spills, wear protective clothing.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 5)

(Contd. of page 4)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test M 3rd Ampoule

- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles. Dispose contaminated material as waste according to item 13.
 6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Use only in well ventilated areas. Keep away from heat and direct sunlight. Avoid splashes or spray in enclosed areas.

- Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

• Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

- · Information about storage in one common storage facility:
- Store away from foodstuffs. Store away from oxidizing agents.

Store away from metals.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- Not required.

| 67-66-3 trichloromethane | | |
|--------------------------|---|--------------------|
| IOELV (EU) | Long-term value: 10 mg/m³, 2 ppm Skin | |
| PEL (USA) | Ceiling limit: 240 mg/m ³ , 50 ppm | |
| REL (USA) | Short-term value: 9,78* mg/m³, 2* ppm *60-min; See Pocket Guide App. A | |
| TLV (USA) | Long-term value: 49 mg/m ³ , 10 ppm | |
| EL (Canada) | Long-term value: 2 ppm IARC 2B; R | |
| EV (Canada) | Long-term value: 49 mg/m ³ , 10 ppm | |
| · DNELs No fu | rther relevant information available. | |
| | | (Contd. on page 6) |

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test M 3rd Ampoule

(Contd. of page 5) · PNECs No further relevant information available. · Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Personal protective equipment: · General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. · Respiratory protection: Not required under normal conditions of use. Use suitable respiratory protective device when aerosol or mist is formed. Use suitable respiratory protective device in case of insufficient ventilation. For spills, respiratory protection may be advisable. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Safety glasses · Body protection: Protective work clothing · Limitation and supervision of exposure into the environment No further relevant information available. Risk management measures See Section 7 for additional information. No further relevant information available.

(Contd. on page 7)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test M 3rd Ampoule

(Contd. of page 6)

| SECTION 9: Physical and cher | SECTION 9: Physical and chemical properties | | | | |
|--|--|--|--|--|--|
| 9.1 Information on basic physical an General Information Appearance: Form: Colour: | Liquid Colourless | | | | |
| Odour: Odour threshold: | Ether-like Not determined. | | | | |
| · pH-value: | Not determined. | | | | |
| Change in condition Melting point/Melting range: Boiling point/Boiling range: | -81 ° F / -63 °C 144 ° F / 62 °C | | | | |
| · Flash point: | Not applicable - does not support sustained combustion. | | | | |
| Flammability (solid, gaseous): | Not applicable. | | | | |
| · Auto/Self-ignition temperature: | Not determined. | | | | |
| Decomposition temperature: | Not determined. | | | | |
| · Self-igniting: | Not determined. | | | | |
| Danger of explosion: | Product does not present an explosion hazard. | | | | |
| Explosion limits: Lower: Upper: | Not determined. Not determined. | | | | |
| · Vapour pressure at 20 °C: | 210 hPa | | | | |
| Density at 20 °C: Relative density Vapour density Evaporation rate | 1,48 g/cm ³ Not determined. Not determined. Not determined. | | | | |
| Solubility in / Miscibility with water at 20 °C: | 8 g/l | | | | |
| · Partition coefficient (n-octanol/wate | r): Not determined. | | | | |
| Viscosity: Dynamic: Kinematic: 9.2 Other information | Not determined. Not determined. No further relevant information available. | | | | |

(Contd. on page 8)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test M 3rd Ampoule

(Contd. of page 7)

SECTION 10: Stability and reactivity

· 10.1 Reactivity

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with strong oxidizing agents.
- Reacts with certain metals.
- Reacts with strong alkali.
- Toxic fumes may be released if heated above the decomposition point.
- **10.4 Conditions to avoid** Store away from oxidizing agents. Keep away from heat and direct sunlight.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Chlorine compounds

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity:

· LD/LC50 values relevant for classification:

67-66-3 trichloromethane

Oral LD50 908 mg/kg (rat)

Dermal LD50 75 mg/kg (rat)

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Subacute to chronic toxicity: Vapours have narcotic effect.
- Additional toxicological information:

Toxic and/or corrosive effects may be delayed up to 12 hours. Suspected of causing cancer.

Inhalation of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.

Danger through skin adsorption.

 \cdot Acute effects (acute toxicity, irritation and corrosivity):

Vapours have narcotic effect. May be harmful if inhaled.

Harmful if swallowed.

· Repeated dose toxicity:

May cause damage to organs through prolonged or repeated exposure.

Repeated exposure may cause skin dryness or cracking.

May cause neurotoxic effects.

(Contd. on page 9)

(Contd. of page 8)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test M 3rd Ampoule

• CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): Carc. 2

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability Not easily biodegradable
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Assessment by list): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

The material is harmful to the environment.

Avoid transfer into the environment.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- · 14.1 UN-Number
- \cdot DOT, ADR, IMDG, IATA
- · 14.2 UN proper shipping name
- · DOT, IMDG, IATA
- · ADR

UN1888

CHLOROFORM 1888 CHLOROFORM

(Contd. on page 10)

Printing date: September 16, 2014

Revision: September 16, 2014

| rade name: NIK Test M 3rd Ampoule | |
|---|---|
| · 14.3 Transport hazard class(es) | (Contd. of page 9 |
| DOT | |
| | |
| | |
| · Class | 6.1 Toxic substances. |
| · Label | 6.1 |
| · ADR | |
| | |
| · Class | 6.1 (T1) Toxic substances. |
| · Label | 6.1 |
| · IMDG, IATA | |
| | |
| | 6.1 Toxic substances. |
| · Label | 6.1 |
| · 14.4 Packing group | |
| · DOT, ADR, IMDG, IATA | III |
| 14.5 Environmental hazards: | |
| · Marine pollutant: | No |
| 14.6 Special precautions for user | Warning: Toxic substances. |
| · Danger code (Kemler): | 60 |
| EMS Number: | F-A,S-A |
| Segregation groups 14.7 Transport in bulk according to Annex II of | Liquid halogenated hydrocarbons |
| MARPOL73/78 and the IBC Code | Not applicable. |
| | |
| Transport/Additional information: | |
| ADR | |
| Limited quantities (LQ) | 5L October 54 |
| Excepted quantities (EQ) | Code: E1 Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 30 ml |
| · Transport category | 2 |
| · Tunnel restriction code | Ē |
| ·IMDG | |
| · Limited quantities (LQ) | 5L |
| · Excepted quantities (EQ) | Code: E1 |
| - · · · / | Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml (Contd. on page 1 |

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test M 3rd Ampoule

· UN "Model Regulation":

UN1888, CHLOROFORM, 6.1, III

(Contd. of page 10)

| SECTION 15: Regulatory information | |
|--|-------------------|
| 15.1 Safety, health and environmental regulations/legislation specific for the substa United States (USA) SARA | nce or mixture |
| Section 355 (extremely hazardous substances): | |
| Substance is listed. | |
| · Section 313 (Specific toxic chemical listings): | |
| Substance is listed. | |
| · TSCA (Toxic Substances Control Act): | |
| Substance is listed. | |
| · Proposition 65 (California): | |
| · Chemicals known to cause cancer: | |
| Substance is listed. | |
| · Chemicals known to cause reproductive toxicity for females: | |
| Substance is not listed. | |
| \cdot Chemicals known to cause reproductive toxicity for males: | |
| Substance is not listed. | |
| \cdot Chemicals known to cause developmental toxicity: | |
| Substance is listed. | |
| · Carcinogenic Categories | |
| · EPA (Environmental Protection Agency) | |
| 67-66-3 trichloromethane | B2, L, NI |
| IARC (International Agency for Research on Cancer) | |
| 67-66-3 trichloromethane | 2E |
| TLV (Threshold Limit Value established by ACGIH) | |
| 67-66-3 trichloromethane | A |
| NIOSH-Ca (National Institute for Occupational Safety and Health) | L |
| Substance is listed. | |
| · Canada | |
| · Canadian Domestic Substances List (DSL) | |
| Substance is listed. | |
| · Canadian Ingredient Disclosure list (limit 0.1%) | |
| Substance is listed. | |
| · Canadian Ingredient Disclosure list (limit 1%) | |
| Substance is not listed. | |
| | (Contd. on page 1 |

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test M 3rd Ampoule

(Contd. of page 11)

• Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

• Substances of very high concern (SVHC) according to REACH, Article 57

Substance is not listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Carc. 2: Carcinogenicity, Hazard Category 2 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com