GHS

Printing date: September 16, 2014

Revision: September 16, 2014

NZ Update 14 February 2023

SECTION undertakin	]	an
1.1 Product i	entifier	
Trade name:	IIK Test R	
CAS Number 67-63-0 EC number: 200-661-7 Index number	r: 800-6086 (1006164)	ß
Rohypnol / Be	<b>dentified uses of the substance or mixture and uses advised against</b> Valium and izodiazepines Test Kit the supplier of the Safety Data Sheet	
Manufacturer/ New Zealand	Supplier: Safariland, LLC, 13386 International Parkway, Jacksonville, FL 32218, USA Importer/Supplier: sic Supplies Ltd·Unit 4/5 Port Rd, Seaview·Wellington, New Zealand	
Phone: +64 4	039 1527	
1.4 Emergence	(talanhana numbar)	
	n Case of Emergency Contact: CHEMCALL: 0800 CHEMCALL (243 622) ChemTel Inc. +1 (813)248-0585)	
International	n Case of Emergency Contact: CHEMCALL: 0800 CHEMCALL (243 622)	
International SECTION 2 2.1 Classifica	n Case of Emergency Contact: CHEMCALL: 0800 CHEMCALL (243 622) ChemTel Inc. +1 (813)248-0585)	
International SECTION 2 2.1 Classifica	n Case of Emergency Contact: CHEMCALL: 0800 CHEMCALL (243 622) ChemTel Inc. +1 (813)248-0585) Hazards identification	
International SECTION 2 2.1 Classifica Classification flame	n Case of Emergency Contact: CHEMCALL: 0800 CHEMCALL (243 622) ChemTel Inc. +1 (813)248-0585) Hazards identification	
International SECTION 2 2.1 Classification Classification flame Flam. Liq. 2 H	n Case of Emergency Contact: CHEMCALL: 0800 CHEMCALL (243 622) ChemTel Inc. +1 (813)248-0585) The Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 225 Highly flammable liquid and vapour.	
International SECTION 2 2.1 Classification Classification flame Flam. Liq. 2 H	n Case of Emergency Contact: CHEMCALL: 0800 CHEMCALL (243 622) ChemTel Inc. +1 (813)248-0585) Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008	
International SECTION 2 2.1 Classification Classification flame Flam. Liq. 2 H Classification Eye Irrit. 2 H STOT SE 3 H	n Case of Emergency Contact: CHEMCALL: 0800 CHEMCALL (243 622) ChemTel Inc. +1 (813)248-0585) <b>Hazards identification</b> tion of the substance or mixture according to Regulation (EC) No 1272/2008 225 Highly flammable liquid and vapour. 319 Causes serious eye irritation.	
International SECTION 2 2.1 Classification Classification flame Flam. Liq. 2 H STOT SE 3 H Classification Xi; Irritant	n Case of Emergency Contact: CHEMCALL: 0800 CHEMCALL (243 622) ChemTel Inc. +1 (813)248-0585) Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 225 Highly flammable liquid and vapour. 319 Causes serious eye irritation. 336 May cause drowsiness or dizziness. according to Directive 67/548/EEC or Directive 1999/45/EC	
International SECTION 2 2.1 Classification Classification flame Flam. Liq. 2 H STOT SE 3 H Classification Xi; Irritant R36: Irritati	n Case of Emergency Contact: CHEMCALL: 0800 CHEMCALL (243 622) ChemTel Inc. +1 (813)248-0585) Hazards identification ion of the substance or mixture according to Regulation (EC) No 1272/2008 225 Highly flammable liquid and vapour. 319 Causes serious eye irritation. 336 May cause drowsiness or dizziness. according to Directive 67/548/EEC or Directive 1999/45/EC g to eyes.	
International SECTION 2 2.1 Classification Classification flame Flam. Liq. 2 H STOT SE 3 H Classification Xi; Irritant R36: Irritation F; Highly	n Case of Emergency Contact: CHEMCALL: 0800 CHEMCALL (243 622) ChemTel Inc. +1 (813)248-0585) Hazards identification ion of the substance or mixture according to Regulation (EC) No 1272/2008 225 Highly flammable liquid and vapour. 319 Causes serious eye irritation. 336 May cause drowsiness or dizziness. according to Directive 67/548/EEC or Directive 1999/45/EC g to eyes.	


GHS

Printing date: September 16, 2014

Revision: September 16, 2014


NZ Update 14 February 2023

Trade name: NIK Test R



GHS

NZ Update 14 February 2023



EINECS: 215-185-5

Index number: 011-002-00-6

🗾 C R35

<br/>
Skin Corr. 1A, H314

(Contd. on page 4)

Printing date: September 16, 2014

Revision: September 16, 2014

NZ Update 14 February 2023

Trade name: NIK Test R

(Contd. of page 3)

#### **SECTION 4: First aid measures**

## • 4.1 Description of first aid measures • General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

· After inhalation: Supply fresh air; consult doctor in case of complaints.

### · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

#### · After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

#### · After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- $\cdot$  4.2 Most important symptoms and effects, both acute and delayed
- Irritant to eyes. Dizziness
- Dizzine Thirst
- Dinorion
- Disorientation
- Hazards No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** Vapours may cause drowsiness and dizziness.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

#### Wear fully protective suit.

· Additional information

Eliminate all ignition sources if safe to do so. Cool endangered receptacles with water spray.

#### **SECTION 6: Accidental release measures**

• 6.1 Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

(Contd. on page 5)

(Contd. of page 4)

#### Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 16, 2014

Revision: September 16, 2014

NZ Update 14 February 2023

#### Trade name: NIK Test R

Keep away from ignition sources. Protect from heat.

- 6.2 Environmental precautions: No special measures required. Dilute with plenty of water.
- 6.3 Methods and material for containment and cleaning up: Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles. Clean the affected area carefully; suitable cleaners are: Warm water
   6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** Prevent formation of aerosols. Avoid splashes or spray in enclosed areas.
- Information about fire and explosion protection: Keep ignition sources away Do not smoke.

#### · 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- $\cdot$  Requirements to be met by storerooms and receptacles:

Store in a cool location.

Avoid storage near extreme heat, ignition sources or open flame.

- · Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

#### • Ingredients with limit values that require monitoring at the workplace:

#### 67-63-0 propan-2-ol

PEL (USA)	Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
REL (USA)	Short-term value: 1225 mg/m <sup>3</sup> , 500 ppm
	Long-term value: 980 mg/m <sup>3</sup> , 400 ppm

TLV (USA) Short-term value: 984 mg/m<sup>3</sup>, 400 ppm Long-term value: 492 mg/m<sup>3</sup>, 200 ppm BEI

(Contd. on page 6)

Printing date: September 16, 2014

Revision: September 16, 2014

NZ Update 14 February 2023

Trade name: NIK Test R

		(Contd. of page 5)	
EL (Canada)	Short-term value: 400 ppm		
	Long-term value: 200 ppm		
EV (Canada)	Short-term value: 400 ppm		
4040 70 0	Long-term value: 200 ppm		
	bdium hydroxide		
PEL (USA)	Long-term value: 2 mg/m <sup>3</sup>		
REL (USA)	Ceiling limit: 2 mg/m <sup>3</sup>		
· ,	Ceiling limit: 2 mg/m <sup>3</sup>		
,	Ceiling limit: 2 mg/m <sup>3</sup>		
. ,	Ceiling limit: 2 mg/m <sup>3</sup>		
	In the relevant information available.		
	In the relevant information available.		
-	with biological limit values:		
67-63-0 prop			
BEI (USA) 4	∪ mg/∟ ledium: urine		
	ime: end of shift at end of workweek		
	arameter: Acetone (background, nonspecific)		
· Additional ir	formation: The lists valid during the making were used as basis.		
General prot The usual prot Keep away fr Immediately Wash hands Do not inhale Avoid contac Respiratory Not required	under normal conditions of use. piratory protection may be advisable.		
Prote	Protective gloves		
Selection of degradation. Material of g The selection quality and	<ul> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.</li> <li>Selection of the glove material on consideration of the penetration times, rates of diffusion and degradation.</li> <li>Material of gloves</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further mark quality and varies from manufacturer to manufacturer. As the product is a preparation of several seve</li></ul>		
	the resistance of the glove material can not be calculated in advance and r to the application.	nas therefore to be	
onconcea prio		(Contd on page 7)	

(Contd. on page 7)

Printing date: September 16, 2014

Revision: September 16, 2014

NZ Update 14 February 2023

#### Trade name: NIK Test R

(Contd. of page 6)

Penetration time of glove material
 The exact break through time has to be found out by the manufacturer of the protective gloves and has to
 be observed.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment No further relevant information available.
- **Risk management measures** See Section 7 for additional information. No further relevant information available.

#### **SECTION 9: Physical and chemical properties**

<ul> <li>9.1 Information on basic physical an</li> <li>General Information</li> <li>Appearance:</li> </ul>	d chemical properties
Form: Colour: • Odour: • Odour:	Liquid Colourless Like alcohol Not determined.
· pH-value:	Alkaline
Change in condition Melting point/Melting range:	Not Determined.
· Flash point:	53,6 °F / 12 °C (PMCC)
· Flammability (solid, gaseous):	Not applicable.
· Auto/Self-ignition temperature:	750 °F / 399 °C
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not self-igniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.
<ul> <li>Explosion limits: Lower: Upper:</li> </ul>	2,0 Vol % (propan-2-ol) 12,7 Vol % (propan-2-ol)
· Vapour pressure at 20 °C:	43 hPa
<ul> <li>Density at 20 °C:</li> <li>Relative density</li> <li>Vapour density</li> </ul>	0,81 g/cm <sup>3</sup> Not determined. Not determined. (Contd. on page 8)

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

NZ Update 14 February 2023

#### Trade name: NIK Test R

· Evaporation rate	Not determined.	(Contd. of page 7)
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Soluble.	
· Partition coefficient (n-octanol/wate	r): Not determined.	
<ul> <li>Viscosity:</li> <li>Dynamic:</li> <li>Kinematic:</li> <li>9.2 Other information</li> </ul>	Not determined. Not determined. No further relevant information available.	

#### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions
- Flammable.

Reacts violently with oxidizing agents.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.

#### • **10.4 Conditions to avoid** Keep ignition sources away - Do not smoke.

Store away from oxidizing agents.

- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

#### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity:

#### · LD/LC50 values relevant for classification:

#### 67-63-0 propan-2-ol

Oral LD50 5045 mg/kg (rat)

Dermal LD50 12800 mg/kg (rabbit)

Inhalative LC50/4h 30 mg/l (rat)

#### · Primary irritant effect:

- on the skin: Slight irritant effect on skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

(Contd. on page 9)

Printing date: September 16, 2014

Revision: September 16, 2014

NZ Update 14 February 2023

Trade name: NIK Test R

(Contd. of page 8)

Irritant

Inhalation of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.

• Acute effects (acute toxicity, irritation and corrosivity): Vapours have narcotic effect.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:

#### · General notes:

Not known to be hazardous to water.

Due to available data on eliminability/decomposition and bioaccumulation potential a prolonged damage of the environment is unlikely.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
· 14.1 UN-Number		
· DOT	UN1993	
· ADR, IMDG, IATA	UN1219	
<ul> <li>14.2 UN proper shipping name</li> </ul>		
DOT	Flammable Liquid N.O.S. Contains ISOPROPANOL (ISOPROPYL ALCOHOL), Limited Quantity <5L Consumer commodity	
· ADR	1219 ISOPROPANOL (ISOPROPYL ALCOHOL)	
· IMDG, IATA	ISOPROPANOL (ISOPROPYL ALCOHOL) (Contd. on page 10)	

<sup>·</sup> Uncleaned packaging:

Printing date: September 16, 2014

Revision: September 16, 2014

NZ Update 14 February 2023

· 14.3 Transport hazard class(es)	(Contd. of pa
· DOT	
<b>*</b>	
· Class	3 Flammable liquids.
· Label	3
· ADR	
· Class	3 (F1) Flammable liquids.
· Label	3
· IMDG, IATA	
	3 Flammable liquids.
· Label · 14.4 Packing group	3
· DOT, ADR, IMDG, IATA	II
· 14.5 Environmental hazards:	
· Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
· Danger code (Kemler):	33
• EMS Number:	F-E,S-D
<ul> <li>14.7 Transport in bulk according to Annex MARPOL73/78 and the IBC Code</li> </ul>	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Transport category	2
Tunnel restriction code	D/E
· IMDG	41
Limited quantities (LQ)     Excented quantities (EQ)	1L Code: E2
<ul> <li>Excepted quantities (EQ)</li> </ul>	Code: E2 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml

\_

Printing date: September 16, 2014

Revision: September 16, 2014

NZ Update 14 February 2023

Trade name: NIK Test R

· UN "Model Regulation":

(Contd. of page 10) UN1219, ISOPROPANOL (ISOPROPYL ALCOHOL), 3, II

#### **SECTION 15: Regulatory information**

Section 355 (extremely hazardous substances):			
Substance is not listed.			
Section 313 (Specific toxic chemical listings):			
Substance is listed.			
TSCA (Toxic Substances Control Act):			
Substance is listed.			
Proposition 65 (California):			
Chemicals known to cause cancer:			
Substance is not listed.			
Chemicals known to cause reproductive toxicity for females:			
Substance is not listed.			
Chemicals known to cause reproductive toxicity for males:			
Substance is not listed.			
Chemicals known to cause developmental toxicity:			
Substance is not listed.			
Carcinogenic Categories			
EPA (Environmental Protection Agency)			
Substance is not listed.			
IARC (International Agency for Research on Cancer)			
67-63-0 propan-2-ol			
TLV (Threshold Limit Value established by ACGIH)			
67-63-0 propan-2-ol			
NIOSH-Ca (National Institute for Occupational Safety and Health)			
Substance is not listed.			
Canada			
Canadian Domestic Substances List (DSL)			
Substance is listed.			
Canadian Ingredient Disclosure list (limit 0.1%)			
Substance is not listed.			
Canadian Ingredient Disclosure list (limit 1%)			

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

NZ Update 14 February 2023

#### Trade name: NIK Test R

(Contd. of page 11)

#### · Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

Substance is not listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H314 Causes severe skin burns and eye damage.

R35 Causes severe burns.

 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Liq. 2: Flammable liquids, Hazard Category 2 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 · Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com

GHS

Printing date: September 16, 2014 Revision: September 16, 2014 New Zealand Update: 14 February 2023

· 1.1 Product identifier			
· Trade name: <u>NIK Test R 2nd Ampoule</u>			
<ul> <li>Article number: 800-6086 (1006164)</li> <li>CAS Number: 67-63-0</li> <li>EC number: 200-661-7</li> <li>Index number: 603-117-00-0</li> <li>1.2 Relevant identified uses of the substation</li> </ul>	Ince or mixture and uses advised against Valium and		
New Zealand Importer/Supplier:	86 International Parkway, Jacksonville, FL 32218, USA Rd, Seaview∙Wellington, New Zealand∙Phone: +64 4 939 18 ealand		
International: ChemTel Inc. +1 (813)248-05	585)		
SECTION 2: Hazards identification			

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 4H302 Harmful if swallowed.Acute Tox. 4H332 Harmful if inhaled.Eye Irrit. 2H319 Causes serious eye irritation.STOT SE 3H336 May cause drowsiness or dizziness.Aquatic Chronic 3H412 Harmful to aquatic life with long lasting effects.

GHS

Printing date: September 16, 2014 Revision: September 16, 2014 New Zealand Update: 14 February 2023

Trade name: NIK Test R 2nd Ampoule			
		(Contd. of page 1)	
<ul> <li>Classification</li> <li>Xn; Harr</li> </ul>	on according to Directive 67/548/EEC or Directive 1999/45/EC nful		
R20/21/22:	Harmful by inhalation, in contact with skin and if swallowed.		
🗙 Xi; Irritai	nt		
R36:	Irritating to eyes.		
🔥 F; Highly	y flammable		
R11:	Highly flammable.		
R52/53:	Harmful to aquatic organisms, may cause long-term adverse effects i environment.	n the aquatic	
The product preparations Classification The classifi literature dat The classifi	cation is according to the latest editions of the EU-lists, and extended by	r company and es lists, and is	
	ccording to Regulation (EC) No 1272/2008 ce is classified and labelled according to the CLP regulation.		
GHS02 GHS	\$06		
<ul> <li>Signal word</li> </ul>	I Danger		
propan-2-ol 1,3-dinitrobe Hazard state H225 Highly H302 Harmf H311 Toxic i H332 Harmf H319 Cause H336 May ca H412 Harmf	<b>ements</b> flammable liquid and vapour. ul if swallowed. in contact with skin.		
. 200		(Contd. on page 3)	

Printing date: September 16, 2014 Revision: September 16, 2014 New Zealand Update: 14 February 2023

#### Trade name: NIK Test R 2nd Ampoule

	D004	(Contd. of page 2)
	P264 P305+P351+P338	Wash thoroughly after handling. 3 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
		present and easy to do. Continue rinsing.
	P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for
	P370+P378	breathing.
	P302+P352	In case of fire: Use for extinction: CO2, powder or water spray. IF ON SKIN: Wash with plenty of water.
	P403+P235	Store in a well-ventilated place. Keep cool.
	P501	Dispose of contents/container in accordance with local/regional/national/international
	Hererd description	regulations.
	<ul> <li>Hazard description</li> <li>WHMIS-symbols</li> </ul>	
	B2 - Flammable lie	
		rial causing immediate and serious toxic effects
	$\bigcirc \bigcirc$	
	( 👋 ) ( 💥 )	
	$\mathbf{O}\mathbf{O}$	
	<ul> <li>NFPA ratings (sc</li> </ul>	ale 0 - 4)
	Health	= 2
	Fire = $3$	
		vity = 0
	· HMIS-ratings (sc	ale 0 - 4)
	HEALTH 2 Health	
	FIRE 3 Fire =	= 3 tivity = 0
		-
	•	Health Hazard Substances
	Substance is not li	
	· 2.3 Other hazards	
	• PBT: Not applicab	nd vPvB assessment
	• <b>vPvB:</b> Not applicat	
		emperities/information on ingradients
	SECTION 3: C	omposition/information on ingredients
	· 3.1 Substances	
	· CAS No. Descrip	
	67-63-0 propan-2-	
	<ul> <li>Identification nur</li> <li>EC number: 200-</li> </ul>	
	· Index number: 200-	

(Contd. on page 4)

Printing date: September 16, 2014 Revision: September 16, 2014 New Zealand Update: 14 February 2023

#### Trade name: NIK Test R 2nd Ampoule

Contd. of page     Dangerous components:		d. of page 3
CAS: 99-65-0 EINECS: 202-776-8 Index number: 609-004-00-2	1,3-dinitrobenzene T+ R26/27/28; WN R50/53 R33	< 1,0%
	<ul> <li>Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330</li> <li>STOT RE 2, H373</li> <li>Aquatic Acute 1, H400; Aquatic Chronic 1, H410</li> </ul>	

. 2	4.1 Description of first aid measures
	General information:
	mmediately remove any clothing soiled by the product.
	Take affected persons out into the fresh air.
	After inhalation: Supply fresh air; consult doctor in case of complaints.
	After skin contact:
Ì	mmediately wash with water and soap and rinse thoroughly.
	f skin irritation continues, consult a doctor.
	After eye contact:
F	Remove contact lenses if worn.
F	Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
	After swallowing:
	Rinse out mouth and then drink plenty of water.
	Do not induce vomiting; call for medical help immediately.
	4.2 Most important symptoms and effects, both acute and delayed
	rritant to eyes.
	Slight irritant effect on skin and mucous membranes.
_	Dizziness
	Thirst
	Disorientation
-	Hazards
	Harmful if swallowed.
	Danger through skin adsorption. Possible risk of irreversible effects.
	No further relevant information available.
	4.3 Indication of any immediate medical attention and special treatment needed
	Medical supervision for at least 48 hours.
	/apours may cause drowsiness and dizziness.

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 5)

Printing date: September 16, 2014 Revision: September 16, 2014 New Zealand Update: 14 February 2023

#### Trade name: NIK Test R 2nd Ampoule

#### · 5.3 Advice for firefighters

• **Protective equipment:** Wear self-contained respiratory protective device. Wear fully protective suit.

Additional information
 Eliminate all ignition sources if safe to do so.
 Cool endangered receptacles with water spray.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures
 Use respiratory protective device against the effects of fumes/dust/aerosol.
 Wear protective equipment. Keep unprotected persons away.
 Ensure adequate ventilation
 Keep away from ignition sources.
 Protect from heat.
 6.2 Environmental precautions:
 No special measures required.
 Dilute with plenty of water.

 6.3 Methods and material for containment and cleaning up: Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles. Clean the affected area carefully; suitable cleaners are: Warm water
 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

#### $\cdot$ 7.1 Precautions for safe handling

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

• Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

#### · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility: Store away from oxidizing agents.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 6)

(Contd. of page 4)

Printing date: September 16, 2014 Revision: September 16, 2014 New Zealand Update: 14 February 2023

#### Trade name: NIK Test R 2nd Ampoule

(Contd. of page 5)

8.1 Control parameters         Ingredients with limit values that require monitoring at the workplace:         67-63-0 propan-2-ol         PEL (USA)       Long-term value: 980 mg/m³, 500 ppm Long-term value: 225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm Long-term value: 984 mg/m³, 400 ppm BEI         EL (USA)       Short-term value: 984 mg/m³, 400 ppm Long-term value: 400 ppm Long-term value: 400 ppm Long-term value: 200 ppm         EV (Canada)       Short-term value: 400 ppm Long-term value: 200 ppm         EV (Canada)       Short-term value: 1 mg/m³ Skin         REL (USA)       Long-term value: 1 mg/m³ Skin         REL (USA)       Long-term value: 1 mg/m³ Skin         TLV (USA)       Long-term value: 1 mg/m³ Skin         EL (Canada)       Long-term value: 1 mg/m³ Skin         EL (USA)       Long-term value: 1 mg/m³, 0,15 ppm Skin; BEI-M         EV (Canada)       Long-term value: 0,15 ppm Skin         EV (Canada)       Long-term value: 1,0 mg/m³, 0,15 ppm Skin         SPNECs No further relevant information available.         PNECs No further relevant information available.         Ingredients with biological limit values:         67-63-0	Additional in	formation about design of technical facilities: No further data; see iter	m 7.
Ingredients with limit values that require monitoring at the workplace:         67-63-0 propan-2-ol         PEL (USA)       Long-term value: 980 mg/m³, 400 ppm         REL (USA)       Short-term value: 980 mg/m³, 400 ppm         Long-term value: 980 mg/m³, 400 ppm       Long-term value: 980 mg/m³, 400 ppm         TLV (USA)       Short-term value: 980 mg/m³, 400 ppm         Long-term value: 980 mg/m³, 400 ppm       Long-term value: 402 ppm         EL (Canada)       Short-term value: 400 ppm         Long-term value: 200 ppm       EV (Canada)         Short-term value: 200 ppm       Long-term value: 200 ppm         EV (Canada)       Short-term value: 200 ppm         Skin       Long-term value: 200 ppm         PEL (USA)       Long-term value: 1 mg/m³         Skin       REL (USA)         Long-term value: 1 mg/m³         Skin       SEI-M         EL (Canada)       Long-term value: 1 mg/m³, 0,15 ppm         Skin       Sel-M         EV (Canada)       Long-term value: 0,15 ppm         Skin       Sel-M         EV (Canada)       Long-term value: 1,0 mg/m³, 0,15 ppm         Skin       Sel-M         DNELs No further relevant information available.         PNECs No further relevant information available.		-	
67-63-0 propan-2-ol         PEL (USA)       Long-term value: 980 mg/m³, 400 ppm         REL (USA)       Short-term value: 1225 mg/m³, 500 ppm         Long-term value: 984 mg/m³, 400 ppm         TLV (USA)       Short-term value: 984 mg/m³, 400 ppm         Decimal of the state of the st	•		
PEL (USA)       Long-term value: 980 mg/m³, 400 ppm         REL (USA)       Short-term value: 1225 mg/m³, 500 ppm         Long-term value: 980 mg/m³, 400 ppm         Long-term value: 980 mg/m³, 400 ppm         Long-term value: 492 mg/m³, 200 ppm         BEI         EL (Canada)       Short-term value: 400 ppm         Long-term value: 200 ppm         EV (Canada)       Short-term value: 400 ppm         Long-term value: 200 ppm <b>99-65-01,3-dinitrobenzene</b> PEL (USA)       Long-term value: 1 mg/m³         Skin         REL (USA)       Long-term value: 1 mg/m³         Skin         EV (Canada)       Long-term value: 1 mg/m³, 0,15 ppm         Skin         EV (Canada)       Long-term value: 1,0 mg/m³, 0,15 ppm         Skin         DNELs No further relevant information available.         PNECs No further relevant information available.         PNECs No further relevant information available.         PRE (USA)       40 mg/L         Medium: urine		· · · ·	
REL (USA)       Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm         TLV (USA)       Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI         EL (Canada)       Short-term value: 400 ppm Long-term value: 200 ppm         EV (Canada)       Short-term value: 200 ppm <b>99-65-0 1,3-dinitrobenzene</b> PEL (USA)       Long-term value: 1 mg/m³ Skin         REL (USA)       Long-term value: 1 mg/m³ Skin         REL (USA)       Long-term value: 1 mg/m³, 0,15 ppm Skin; BEI-M         EL (canada)       Long-term value: 0,15 ppm Skin         EV (Canada)       Long-term value: 0,15 ppm Skin         EV (Canada)       Long-term value: 1,0 mg/m³, 0,15 ppm Skin         EV (Canada)       Long-term value: 0,15 ppm Skin         EV (Canada)       Long-term value: 1,0 mg/m³, 0,15 ppm Skin         Skin       Ture: relevant information available.         PNECs No further relevant information available.       Parameter: Roet on the mature of shift at end of workweek         Parameter: Acetone (background, nonspecific) <t< th=""><th></th><th></th><th></th></t<>			
Long-term value: 492 mg/m³, 200 ppm         BEI         EL (Canada)       Short-term value: 200 ppm         EV (Canada)       Short-term value: 200 ppm <b>99-65-01,3-dinitrobenzene</b> PEL (USA)       Long-term value: 1 mg/m³         Skin         REL (USA)       Long-term value: 1 mg/m³         Skin         REL (USA)       Long-term value: 1 mg/m³         Skin         REL (USA)       Long-term value: 1 mg/m³         Skin         TLV (USA)       Long-term value: 1 mg/m³, 0,15 ppm         Skin         EV (Canada)       Long-term value: 0,15 ppm         Skin         EV (Canada)       Long-term value: 1,0 mg/m³, 0,15 ppm         Skin         EV (Canada)       Long-term value: 0,15 ppm         Skin         EV (Canada)       Long-term value: 1,0 mg/m³, 0,15 ppm         Skin         EV (Canada)       Long-term value: 0,15 ppm         Skin         EV (Canada)       Long-term value: 1,0 mg/m³, 0,15 ppm         Skin <b>DNELs</b> No further relevant information available. <b>PNECS</b> No further relevant information available. <b>Ingredients with biological limit values: 67-63-0 </b>	· · ·	Short-term value: 1225 mg/m <sup>3</sup> , 500 ppm	
EV (Canada)       Short-term value: 200 ppm         99-65-0 1,3-dinitrobenzene         PEL (USA)       Long-term value: 1 mg/m³         Skin       REL (USA)         Long-term value: 1 mg/m³, 0,15 ppm         Skin         TLV (USA)       Long-term value: 1 mg/m³, 0,15 ppm         Skin         TLV (USA)       Long-term value: 0,15 ppm         Skin         EU (Canada)       Long-term value: 1,0 mg/m³, 0,15 ppm         Skin         EV (Canada)       Long-term value: 1,0 mg/m³, 0,15 ppm         Skin         EV (Canada)       Long-term value: 1,0 mg/m³, 0,15 ppm         Skin         EV (Canada)       Long-term value: 1,0 mg/m³, 0,15 ppm         Skin         DNELs No further relevant information available.         PNECs No further relevant information available.         PNECs No further relevant information available.         Ingredients with biological limit values:         67-63-0 propan-2-ol         BEI (USA)       40 mg/L         Medium: urine         Time: end of shift at end of workweek         Parameter: Acetone (background, nonspecific)         99-65-0 1,3-dinitrobenzene         BEI (USA)       1,5 % of hemoglobin         Medium: blood	TLV (USA)	Long-term value: 492 mg/m <sup>3</sup> , 200 ppm	
Junction       Long-term value: 200 ppm         99-65-0 1,3-dinitrobenzene         PEL (USA)       Long-term value: 1 mg/m³ Skin         REL (USA)       Long-term value: 1 mg/m³ Skin         TLV (USA)       Long-term value: 1 mg/m³, 0,15 ppm Skin; BEI-M         EL (Canada)       Long-term value: 0,15 ppm Skin         EV (Canada)       Long-term value: 1,0 mg/m³, 0,15 ppm Skin         EV (Canada)       Long-term value: 1,0 mg/m³, 0,15 ppm Skin         DNELs No further relevant information available.         PNECS No further relevant information available.         PNECS No further relevant information available.         Ingredients with biological limit values:         67-63-0 propan-2-ol         BEI (USA)       40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)         99-65-0 1,3-dinitrobenzene         BEI (USA)       1,5 % of hemoglobin Medium: blood Time: during or end of shift Parameter: Methemoglobin (background, nonspecific, semi-quantitative)		Long-term value: 200 ppm	
PEL (USA)       Long-term value: 1 mg/m³         Skin       Skin         REL (USA)       Long-term value: 1 mg/m³         Skin       Skin         TLV (USA)       Long-term value: 1 mg/m³, 0,15 ppm         Skin; BEI-M       EL (Canada)         Long-term value: 0,15 ppm         Skin         EV (Canada)       Long-term value: 1,0 mg/m³, 0,15 ppm         Skin         DNELs No further relevant information available.         PNECs No further relevant information available.         Ingredients with biological limit values:         67-63-0 propan-2-ol         BEI (USA)         40 mg/L         Medium: urine         Time: end of shift at end of workweek         Parameter: Acetone (background, nonspecific)         99-65-0 1,3-dinitrobenzene         BEI (USA)       1,5 % of hemoglobin         Medium: blood         Time: end of shift         Parameter: Methemoglobin (background, nonspecific, semi-quantitative)	. ,	Long-term value: 200 ppm	
Skin         REL (USA)       Long-term value: 1 mg/m³ Skin         TLV (USA)       Long-term value: 1 mg/m³, 0,15 ppm Skin; BEI-M         EL (Canada)       Long-term value: 0,15 ppm Skin         EV (Canada)       Long-term value: 1,0 mg/m³, 0,15 ppm Skin         DNELs No further relevant information available.         PNECs No further relevant information available.         Ingredients with biological limit values:         67-63-0 propan-2-ol         BEI (USA)         40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)         99-65-0 1,3-dinitrobenzene         BEI (USA)         BEI (USA)         1,5 % of hemoglobin Medium: blood Time: during or end of shift Parameter: Methemoglobin (background, nonspecific, semi-quantitative)		linitrobenzene	
Skin         TLV (USA)       Long-term value: 1 mg/m³, 0,15 ppm         Skin; BEI-M         EL (Canada)       Long-term value: 0,15 ppm         Skin         EV (Canada)       Long-term value: 1,0 mg/m³, 0,15 ppm         Skin         DNELs No further relevant information available.         PNECs No further relevant information available.         Ingredients with biological limit values:         67-63-0 propan-2-ol         BEI (USA)         40 mg/L         Medium: urine         Time: end of shift at end of workweek         Parameter: Acetone (background, nonspecific)         99-65-0 1,3-dinitrobenzene         BEI (USA)         BEI (USA)         1,5 % of hemoglobin         Medium: blood         Time: during or end of shift         Parameter: Methemoglobin (background, nonspecific, semi-quantitative)	PEL (USA)		
Skin; BEI-M         EL (Canada)       Long-term value: 0,15 ppm         Skin         EV (Canada)       Long-term value: 1,0 mg/m³, 0,15 ppm         Skin         DNELs No further relevant information available.         PNECs No further relevant information available.         Ingredients with biological limit values:         67-63-0 propan-2-ol         BEI (USA)       40 mg/L         Medium: urine         Time: end of shift at end of workweek         Parameter: Acetone (background, nonspecific)         99-65-0 1,3-dinitrobenzene         BEI (USA)       1,5 % of hemoglobin         Medium: blood         Time: during or end of shift         Parameter: Methemoglobin (background, nonspecific, semi-quantitative)	REL (USA)		
Skin         EV (Canada)       Long-term value: 1,0 mg/m³, 0,15 ppm Skin         DNELs No further relevant information available.         PNECs No further relevant information available.         Ingredients with biological limit values:         67-63-0 propan-2-ol         BEI (USA)       40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)         99-65-0 1,3-dinitrobenzene         BEI (USA)       1,5 % of hemoglobin Medium: blood Time: during or end of shift Parameter: Methemoglobin (background, nonspecific, semi-quantitative)	TLV (USA)		
Skin         DNELs No further relevant information available.         PNECs No further relevant information available.         Ingredients with biological limit values:         67-63-0 propan-2-ol         BEI (USA)       40 mg/L         Medium: urine         Time: end of shift at end of workweek         Parameter: Acetone (background, nonspecific)         99-65-0 1,3-dinitrobenzene         BEI (USA)         BEI (USA)         1,5 % of hemoglobin         Medium: blood         Time: during or end of shift         Parameter: Methemoglobin (background, nonspecific, semi-quantitative)	EL (Canada)		
PNECs No further relevant information available.         Ingredients with biological limit values:         67-63-0 propan-2-ol         BEI (USA)       40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)         99-65-0 1,3-dinitrobenzene         BEI (USA)       1,5 % of hemoglobin Medium: blood Time: during or end of shift Parameter: Methemoglobin (background, nonspecific, semi-quantitative)	EV (Canada)		
67-63-0 propan-2-ol         BEI (USA)       40 mg/L         Medium: urine       Time: end of shift at end of workweek         Parameter: Acetone (background, nonspecific)         99-65-0 1,3-dinitrobenzene         BEI (USA)       1,5 % of hemoglobin         Medium: blood       Time: during or end of shift         Parameter: Methemoglobin (background, nonspecific, semi-quantitative)			
BEI (USA)       40 mg/L         Medium: urine       Time: end of shift at end of workweek         Parameter: Acetone (background, nonspecific)         99-65-0 1,3-dinitrobenzene         BEI (USA)         1,5 % of hemoglobin         Medium: blood         Time: during or end of shift         Parameter: Methemoglobin (background, nonspecific, semi-quantitative)	Ingredients v	with biological limit values:	
Medium: urine         Time: end of shift at end of workweek         Parameter: Acetone (background, nonspecific)         99-65-0 1,3-dinitrobenzene         BEI (USA)         1,5 % of hemoglobin         Medium: blood         Time: during or end of shift         Parameter: Methemoglobin (background, nonspecific, semi-quantitative)			
99-65-0 1,3-dinitrobenzene         BEI (USA)         1,5 % of hemoglobin         Medium: blood         Time: during or end of shift         Parameter: Methemoglobin (background, nonspecific, semi-quantitative)	) M	ledium: urine ime: end of shift at end of workweek	
Medium: blood Time: during or end of shift Parameter: Methemoglobin (background, nonspecific, semi-quantitative)			
	BEI (USA) 1, M T	5 % of hemoglobin ledium: blood ime: during or end of shift	
	P		(Contd. on p

GHS

Printing date: September 16, 2014 Revision: September 16, 2014 New Zealand Update: 14 February 2023

#### Trade name: NIK Test R 2nd Ampoule

(Contd. of page 6) · 8.2 Exposure controls · Personal protective equipment: · General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the skin. Avoid contact with the eves. · Respiratory protection: Not required under normal conditions of use. For spills, respiratory protection may be advisable. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Safety glasses · Body protection: Protective work clothing Not required under normal conditions of use. Protection may be required for spills. · Limitation and supervision of exposure into the environment No further relevant information available. · Risk management measures See Section 7 for additional information.

No further relevant information available.

(Contd. on page 8)

GHS

Printing date: September 16, 2014 Revision: September 16, 2014 New Zealand Update: 14 February 2023

#### Trade name: NIK Test R 2nd Ampoule

(Contd. of page 7)

<ul> <li>9.1 Information on basic physical and chemical properties</li> <li>General Information</li> </ul>						
· Appearance:						
Form:	Liquid					
Colour:	Colourless					
· Odour: · Odour threshold:	Like alcohol Not determined.					
	Alkaline					
· pH-value:	Aikaine					
<ul> <li>Change in condition Melting point/Melting range:</li> </ul>	Not Determined.					
Boiling point/Boiling range:	Boiling Point Range: 182,3 ° F / 83,5 °C.					
Flash point:	53,6 °F / 12 °C (PMCC)					
· · Flammability (solid, gaseous):	Not applicable.					
Auto/Self-ignition temperature:	750 °F / 399 °C					
Decomposition temperature:	Not determined.					
Self-igniting:	Product is not self-igniting.					
Danger of explosion:	Product is not explosive. However, formation of explosive ai vapour mixtures are possible.					
• Explosion limits:						
Lower:	2,0 Vol % (propan-2-ol)					
Upper:	12,7 Vol % (propan-2-ol)					
· Vapour pressure at 20 °C:	43 hPa					
· Density at 20 °C:	0,81 g/cm <sup>3</sup>					
Relative density	Not determined.					
Vapour density	Not determined.					
<ul> <li>Evaporation rate at 20 °C</li> </ul>	0,6 (Butyl Acetate = 1.0)					
Solubility in / Miscibility with	Caluble					
water:	Soluble.					
Partition coefficient (n-octanol/wat	ter): Not determined.					
· Viscosity:						
Dynamic:	Not determined.					
Kinematic:	Not determined.					
9.2 Other information	No further relevant information available.					

(Contd. on page 9)

Printing date: September 16, 2014 Revision: September 16, 2014 New Zealand Update: 14 February 2023

#### Trade name: NIK Test R 2nd Ampoule

(Contd. of page 8)

#### **SECTION 10: Stability and reactivity**

#### · 10.1 Reactivity

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** Flammable.
  - Reacts violently with oxidizing agents.
  - Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.

- **10.4 Conditions to avoid** Keep ignition sources away - Do not smoke. Store away from oxidizing agents.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information							
<ul> <li>11.1 Infor</li> <li>Acute to</li> </ul>		on toxicological effects					
		elevant for classification:					
67-63-0 p	ropan-2-	ol					
Oral	LD50	5045 mg/kg (rat)					
Dermal	LD50	12800 mg/kg (rabbit)					
Inhalative	LC50/4h	n 30 mg/l (rat)					
99-65-0 1	,3-dinitro	benzene					
Oral	LD50	83 mg/kg (rat)					
· Primary i							
• •	on the skin: No irritant effect. on the eye: Irritating effect.						
	Sensitization: No sensitizing effects known.						
	Additional toxicological information:						
The prod Classifica Irritant	luct show tion Guid	vs the following dangers according to the calculation method of the General EU elines for Preparations as issued in the latest version:					
Inhalation headache		entrated vapours as well as oral intake will lead to anaesthesia-like conditions and					
	Acute effects (acute toxicity, irritation and corrosivity):						
Vapours h	Vapours have narcotic effect.						
		in adsorption.					
· Repeated	l dose to	<b>xicity:</b> May cause damage to organs through prolonged or repeated exposure.					

(Contd. on page 10)

Printing date: September 16, 2014 Revision: September 16, 2014 New Zealand Update: 14 February 2023

#### Trade name: NIK Test R 2nd Ampoule

(Contd. of page 9)

#### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

• 12.2 Persistence and degradability No further relevant information available.

• **12.3 Bioaccumulative potential** No further relevant information available.

- **12.4 Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water Toxic for aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Due to available data on eliminability/decomposition and bioaccumulation potential a prolonged damage of the environment is unlikely.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.

· 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

#### · Recommendation

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

Must not be disposed together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

#### · Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

#### **SECTION 14: Transport information**

#### · 14.1 UN-Number

· DOT, ADR, IMDG, IATA

- · 14.2 UN proper shipping name
- · DOT

· ADR

· IMDG, IATA

UN1219

Isopropanol (Isopropyl alcohol) 1219 ISOPROPANOL (ISOPROPYL ALCOHOL) ISOPROPANOL (ISOPROPYL ALCOHOL) (Contd. on page 11)

Printing date: September 16, 2014 Revision: September 16, 2014 New Zealand Update: 14 February 2023

14.3 Transport hazard class(es)	(Contd. of page
DOT	
<b>V</b>	
Class	3 Flammable liquids.
Label	3
ADR	
Class Label	3 (F1) Flammable liquids. 3
IMDG, IATA	5
Class	3 Flammable liquids.
Label	3
14.4 Packing group	
DOT, ADR, IMDG, IATA 14.5 Environmental hazards:	Ш
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Danger code (Kemler):	33
EMS Number:	F-E,S-D
14.7 Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml (Contd. on page

Printing date: September 16, 2014 Revision: September 16, 2014 New Zealand Update: 14 February 2023

#### Trade name: NIK Test R 2nd Ampoule

· UN "Model Regulation":

(Contd. of page 11) UN1219, ISOPROPANOL (ISOPROPYL ALCOHOL), 3, II

#### **SECTION 15: Regulatory information**

Section 355 (extremely hazardous substances):	
Substance is not listed.	
Section 313 (Specific toxic chemical listings):	
Substance is listed.	
TSCA (Toxic Substances Control Act):	
Substance is listed.	
Proposition 65 (California):	
Chemicals known to cause cancer:	
Substance is not listed.	
Chemicals known to cause reproductive toxicity for females:	
Substance is not listed.	
Chemicals known to cause reproductive toxicity for males:	
99-65-0 1,3-dinitrobenzene	
Chemicals known to cause developmental toxicity:	
Substance is not listed.	
Carcinogenic Categories	
EPA (Environmental Protection Agency)	
99-65-0 1,3-dinitrobenzene	
IARC (International Agency for Research on Cancer)	
67-63-0 propan-2-ol	
TLV (Threshold Limit Value established by ACGIH)	
67-63-0 propan-2-ol	
NIOSH-Ca (National Institute for Occupational Safety and Health	1)
Substance is not listed.	
Canada	
Canadian Domestic Substances List (DSL)	
Substance is listed.	
Canadian Ingredient Disclosure list (limit 0.1%)	
Substance is not listed.	
Canadian Ingredient Disclosure list (limit 1%)	

Revision: September 16, 2014 New Zealand Update: 14 February 2023 Printing date: September 16, 2014

#### Trade name: NIK Test R 2nd Ampoule

(Contd. of page 12)

#### · Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

Substance is not listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H300 Fatal if swallowed.

H310 Fatal in contact with skin.

H330 Fatal if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects. H410

R26/27/28 Very toxic by inhalation, in contact with skin and if swallowed.

- R33 Danger of cumulative effects.
- R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

- EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Acute Tox. 2: Acute toxicity, Hazard Category 2

Acute Tox. 4: Acute toxicity, Hazard Category 4

Acute Tox. 1: Acute toxicity, Hazard Category 1 Acute Tox. 3: Acute toxicity, Hazard Category 3

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

Sources

SDS Prepared by: ChemTel Inc.

(Contd. on page 14)

Printing date: September 16, 2014 Revision: September 16, 2014 New Zealand Update: 14 February 2023

#### Trade name: NIK Test R 2nd Ampoule

(Contd. of page 13)

1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com