



# Fingerprint Powder Bolton's Dark Red Magnetic Safety Data Sheet

## 1. Identification of Substance & Company

### Product

<b>Product name</b>	Fingerprint Powder Bolton's Dark Red Magnetic
<b>Product code</b>	BESU-08
<b>HSNO approval</b>	HSR002596,
<b>Approval description</b>	Laboratory Chemicals and Reagent Kits Group Standard 2020
<b>UN number</b>	NA
<b>Proper Shipping Name</b>	NA
<b>DG class</b>	NA
<b>Packaging group</b>	NA
<b>Hazchem code</b>	NA
<b>Uses</b>	Fingerprint powder

### Company Details

<b>Company</b>	<b>Aorangi Forensic Supplies Ltd</b>
<b>Address</b>	Unit 12 5 Wakefield Street Alicetown Lower Hutt 5010 New Zealand
<b>Telephone</b>	04 939 1527
<b>Website</b>	<a href="http://www.aorangiforensics.co.nz">www.aorangiforensics.co.nz</a>

**Emergency Telephone Number: 0800 764 766**

## 2. Hazard Identification

### Approval

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002596, Laboratory Chemicals and Reagent Kits Group Standard 2020). The substance has been classified as hazardous according to the criteria in the Hazardous substances (Hazard Classification) Notice 2020.

### GHS 7 Classes

Skin sensitiser category 1  
Carcinogen category 2

### Hazard Statements

H317 - May cause an allergic skin reaction.  
H351 - Suspected of causing cancer.

### SYMBOLS

## WARNING



### Other Classifications

No other classifications are known to apply.

### Precautionary Statements

<b>Prevention</b>	P103 - Read label before use. P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray*. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/eye protection/face protection.
<b>Response</b>	P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P363 - Wash contaminated clothing before reuse. P308+P313 - IF exposed or concerned: Get medical advice/ attention.
<b>Storage</b>	P405 - Store locked up.



# Fingerprint Powder Bolton's Dark Red Magnetic Safety Data Sheet

**Disposal** P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

## 3. Composition / Information on Ingredients

Component	CAS/ Identification	Concentration
Iron Powder	proprietary	>90%
carbon black	1333-86-4	1-2%
Rosin (Gum)	8050-09-7	1-5%
Ingredients not contributing to GHS 7 classes	Proprietary	balance

This is a commercial product whose exact ratio of components may vary slightly. Trace quantities of impurities are also likely.

## 4. First Aid

### General Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

**Recommended first aid facilities** Ready access to running water is recommended. Accessible eyewash is recommended.

### Exposure

**Swallowed** IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting. Give a glass of water to drink.

**Eye contact** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Skin contact** IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

**Inhaled** Generally, inhalation of dusts is unlikely to result in acute adverse health effects. If coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for transport and contact a doctor.

### Advice to Doctor

Treat symptomatically

## 5. Firefighting Measures

**Fire and explosion hazards:** There are no specific risks for fire/explosion for this chemical. It is not classed as flammable.

**Suitable extinguishing substances:** Carbon dioxide, extinguishing powder or water jet. Fight larger fires with water jet or alcohol resistant foam.

**Unsuitable extinguishing substances:** Unknown.

**Products of combustion:** Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures.

**Protective equipment:** Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat and eye protection.

**Hazchem code:** NA



# Fingerprint Powder Bolton's Dark Red Magnetic Safety Data Sheet

## 6. Accidental Release Measures

<b>Containment</b>	If greater than 1000kg is stored, secondary containment and emergency plans to manage any potential spills must be in place. In all cases design storage to prevent discharge to storm water.
<b>Emergency procedures</b>	The container size will generally limit the spill size. In the event of a large spillage (>100kg) alert the fire brigade to location and give brief description of hazard. Stop the source of the leak, if safe to do so. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Prevent by whatever means possible any spillage from entering drains, sewers, or water courses. (If this occurs contact your regional council immediately).
<b>Clean-up method</b>	Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.
<b>Disposal</b>	Carefully sweep up without creating dust or vacuum and collect recoverable material into labelled containers for recycling or salvage. Recycle containers wherever possible. This material may be suitable for approved landfill. Dispose of only in accord with all regulations.
<b>Precautions</b>	Wear protective equipment to prevent skin and eye contamination and the inhalation of dusts. Work up wind or increase ventilation.

## 7. Storage & Handling

<b>Storage</b>	Store locked up. Avoid storage of harmful substances with food. Store out of reach of children. Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in Section 10.
<b>Handling</b>	Keep exposure to a minimum, and minimise the quantities kept in work areas. See section 8 with regard to personal protective equipment requirements.

## 8. Exposure Controls / Personal Protective Equipment

### Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m<sup>3</sup> for respirable particulates and 10mg/m<sup>3</sup> for inhalable particulates when limits have not otherwise been established.

NZ Workplace Exposure Stds	Ingredient	WES-TWA	WES-STEL
	Carbon black	3mg/m <sup>3</sup> (carc 2)	not established

### Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

### Personal Protective Equipment

<b>General</b>	Personal Protective Equipment (PPE) should not be used as the primary means of exposure protection, except in the event of an accident or emergency situation or where all other means of protection have proven to inadequate. Clean PPE after use or dispose of as appropriate. Store PPE for re-use in a clean place. Regular training on the correct use of PPE should be provided. In particular the correct fitting and use of respirators and where applicable the cleaning of respirators should be undertaken.
<b>Eyes</b>	Protective eyewear is not normally necessary when using this product. However, it always prudent to use protective eyewear if dusts are likely.
<b>Skin</b>	Avoid repeated or prolonged skin contact. Wear suitable protective clothing, e.g. overalls or aprons, rubber boots and impervious gloves. Rubber gloves are recommended. Protective gloves or suitably resistant material must comply with AS 2161. Replace frequently. Gloves should be checked for tears or holes before use. Protective clothing must comply with AS 2919, AS3765.1 or AS3765.2. PVC or rubber boots must comply with AS/NZS 2210.2 and selected and maintained in accordance with AS/NS2210.1. Remove protective clothing and wash exposed areas with soap and water prior to eating, drinking or smoking. Wash hands after handling.
<b>Respiratory</b>	A respirator when airborne concentrations approach the WES (section 8). Respirators must have filters appropriate to the duty and comply with AS/NZS1716 and selected,





# Fingerprint Powder Bolton's Dark Red Magnetic

## Safety Data Sheet

used and maintained in accordance with AS/NS 1715. Use a respirator with a particulate filter. If using a respirator, ensure that the cartridges are correct for the potential air contamination and are in good working order. Fit testing and clear guidelines and training for use and maintenance of PPE are necessary.

### WES Additional Information

Not applicable

## 9. Physical & Chemical Properties

<b>Appearance</b>	solid powder, dark red
<b>Odour</b>	not specified
<b>Odour Threshold</b>	no data
<b>pH</b>	no data
<b>Freezing/melting point</b>	no data
<b>Boiling Point</b>	no data
<b>Flashpoint</b>	non flammable
<b>Flammability</b>	non flammable
<b>Upper &amp; lower flammable limits</b>	no LEL or UEL
<b>Vapour pressure</b>	no data
<b>Vapour density</b>	no data
<b>Specific gravity/density</b>	no data
<b>Solubility</b>	insoluble in water
<b>Partition coefficient</b>	no data
<b>Auto-ignition temperature</b>	no data
<b>Decomposition temperature</b>	no data
<b>Viscosity</b>	no data
<b>Particle Characteristics</b>	no data

## 10. Stability & Reactivity

<b>Stability</b>	Stable
<b>Conditions to be avoided</b>	Containers should be kept closed in order to avoid contamination. Keep from extreme heat, ignition sources and open flames.
<b>Incompatible groups</b>	oxidisers
<b>Substance Specific Incompatibility</b>	none known
<b>Hazardous decomposition products</b>	Formaldehyde, Acetone, Methanol, Aldehydes, Methane, Ethane and Acids.
<b>Hazardous reactions</b>	none known

## 11. Toxicological Information

### Summary

IF SWALLOWED: may cause irritation of the gastrointestinal tract.

IF IN EYES: may cause mild eye irritation (dust)

IF ON SKIN: may cause an allergic reaction for sensitised individuals.

IF INHALED: may cause respiratory tract irritation.

CHRONIC TOXICITY: The mixture is considered to be a suspected carcinogen, because at least one of the ingredients (Carbon black) is possibly carcinogenic to humans (Group 2B). [IARC]



# Fingerprint Powder Bolton's Dark Red Magnetic

## Safety Data Sheet

### Supporting Data

<b>Acute</b>	<b>Oral</b>	Using LD <sub>50</sub> 's for ingredients, the Acute Toxicity Estimate (ATE) (oral) for the mixture is >2,000 mg/kg. Data considered includes: rosin 7600mg/kg (rat)
	<b>Aspiration</b>	This mixture is not considered an aspiration hazard.
	<b>Dermal</b>	Using LD <sub>50</sub> 's for ingredients, the Acute Toxicity Estimate (ATE) (dermal) for the mixture is >2,000 mg/kg. Data considered includes: rosin 2500mg/kg (rabbit).
	<b>Inhaled</b>	Using LD <sub>50</sub> 's for ingredients, the Acute Toxicity Estimate (ATE) (inhalation) for the mixture is >5mg/L/4h.
	<b>Eye</b>	The mixture is not considered to be an eye irritant.
<b>Chronic</b>	<b>Skin</b>	The mixture is not considered to be a skin irritant.
	<b>Sensitisation</b>	The mixture is considered to be a contact sensitizer, because at least one of the ingredients (rosin) present in greater than 0.1% is known to be a contact sensitizer.
	<b>Mutagenicity</b>	No ingredient present at concentrations > 0.1% is considered a mutagen.
	<b>Carcinogenicity</b>	The mixture is considered to be a suspected carcinogen, because at least one of the ingredients (Carbon black) is possibly carcinogenic to humans (Group 2B). [IARC]
	<b>Reproductive / Developmental</b>	No evidence of reproductive or developmental toxicity.
	<b>Systemic</b>	No ingredient present at concentrations > 1% is considered a target organ toxicant.
	<b>Aggravation of existing conditions</b>	None known.

### 12. Ecological Data

#### Summary

This mixture is not considered ecotoxic, however in all cases prevent run-off to drains, sewers and waterways.

#### Supporting Data

<b>Aquatic</b>	Using EC <sub>50</sub> 's for ingredients, the calculated EC <sub>50</sub> for the mixture is > 100 mg/L.
<b>Bioaccumulation</b>	No data
<b>Degradability</b>	No data
<b>Soil</b>	No evidence of soil toxicity.
<b>Terrestrial vertebrate</b>	See acute toxicity.
<b>Terrestrial invertebrate</b>	No evidence of toxicity towards terrestrial invertebrates.
<b>Biocidal</b>	No data

### 13. Disposal Considerations

<b>Restrictions</b>	There are no product-specific restrictions, however, local council and resource consent conditions may apply, including requirements of trade waste consents.
<b>Disposal method</b>	Disposal of this product must comply with the Hazardous Substances (Disposal) Notice 2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore rendered non-hazardous before discharge to the environment.
<b>Contaminated packaging</b>	Disposal of contaminated packaging must comply with the Hazardous Substances (Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible reuse or recycle packaging.



# Fingerprint Powder Bolton's Dark Red Magnetic Safety Data Sheet

## 14. Transport Information

### Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

There are no specific restrictions for this product (not a dangerous good).

<b>UN number:</b>	NA	<b>Proper shipping name:</b>	NA
<b>Class(es)</b>	NA	<b>Packing group:</b>	NA
<b>Precautions:</b>	NA	<b>Hazchem code:</b>	NA

### IMDG

<b>UN number:</b>	NA	<b>Proper shipping name:</b>	Not regulated
<b>Class(es)</b>	NA	<b>Packing group:</b>	NA
<b>Precautions:</b>	NA	<b>EmS</b>	NA

### IATA

<b>UN number:</b>	NA	<b>Proper shipping name:</b>	Not regulated
<b>Class(es)</b>	NA	<b>Packing group:</b>	NA
<b>Precautions:</b>	NA	<b>ERG Guide</b>	NA

## 15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002596, Laboratory Chemicals and Reagent Kits Group Standard 2020. All ingredients appear on the New Zealand Inventory of Chemicals NZIoC.

### Specific Controls

Key workplace requirements are:

SDS	To be available within 10 minutes in workplaces storing any quantity.
Inventory	An inventory of all hazardous substances must be prepared and maintained.
Packaging	All hazardous substances should be appropriately packaged including substances that have been decanted, transferred or manufactured for own use or have been supplied
Labelling	Must comply with the Hazardous Substances (Labelling) Notice 2017.
Emergency plan	Required if > 1000kg is stored.
Certified handler	Not required.
Tracking	Not required.
Bundling & secondary containment	Not required. (non pooling substance)
Signage	Not required.
Location compliance certificate	Not required.
Flammable zone	Not required.
Fire extinguisher	Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

### Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.



# Fingerprint Powder Bolton's Dark Red Magnetic Safety Data Sheet

## 16. Other Information

### Abbreviations

<b>Approval Code</b>	Approval HSR002596, Laboratory Chemicals and Reagent Kits Group Standard 2020 Controls, EPA. <a href="http://www.epa.govt.nz">www.epa.govt.nz</a>
<b>CAS Number</b>	Unique Chemical Abstracts Service Registry Number
<b>EC<sub>50</sub></b>	Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test population (e.g. daphnia, fish species)
<b>EPA</b>	Environmental Protection Authority (New Zealand)
<b>GHS</b>	Globally Harmonised System of Classification and Labelling of Chemicals, 7 <sup>th</sup> revised edition, 2017, published by the United Nations.
<b>HAZCHEM Code</b>	Emergency action code of numbers and letters that provide information to emergency services, especially fire fighters
<b>HSNO</b>	Hazardous Substances and New Organisms (Act and Regulations)
<b>IARC</b>	International Agency for Research on Cancer
<b>LEL</b>	Lower Explosive Limit
<b>LD<sub>50</sub></b>	Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).
<b>LC<sub>50</sub></b>	Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population (usually rats)
<b>NZIoC</b>	New Zealand Inventory of Chemicals
<b>STEL</b>	Short Term Exposure Limit - The maximum airborne concentration of a chemical or biological agent to which a worker may be exposed in any 15 minute period, provided the TWA is not exceeded
<b>STOT RE</b>	System Target Organ Toxicity – Repeated Exposure
<b>STOT SE</b>	System Target Organ Toxicity – Single Exposure
<b>TWA</b>	Time Weighted Average – generally referred to WES averaged over typical work day (usually 8 hours)
<b>UEL</b>	Upper Explosive Limit
<b>UN Number</b>	United Nations Number
<b>WES</b>	Workplace Exposure Standard - The airborne concentration of a biological or chemical agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring using procedures that gather air samples in the worker's breathing zone.

### References

<b>Data</b>	Unless otherwise stated comes from the EPA HSNO chemical classification information database (CCID).
<b>Controls</b>	EPA notices, <a href="http://www.epa.govt.nz">www.epa.govt.nz</a> , Health and Safety at Work (Hazardous Substances) Regulations 2017, <a href="http://www.legislation.govt.nz">www.legislation.govt.nz</a>
<b>WES</b>	The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available on their web site – <a href="http://www.worksafe.govt.nz">www.worksafe.govt.nz</a> .
<b>Other References:</b>	Suppliers SDS

### Review

<b>Date</b>	Reason for review
<b>December 2025</b>	Not applicable - New SDS

### Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely GHS 7 classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email [info@datachem.co.nz](mailto:info@datachem.co.nz) or phone: +64 21 1040951.

